

Amateur Cine World • April 13 1961 • 1s 3d Every Thursday


HOW TO DO IT ARTICLES • EQUIPMENT • IDEAS

Test report: Canon Zoom 8 Converting the gun camera

Photograph on 16mm film

AMATEUR
CINE
WORLD





EUMIG MANUAL For Better Home Movies

A fascinating book for all amateur Cine enthusiasts. Interestingly written, fully illustrated and packed with practical suggestions **£1 0 0**

YOU NEVER MISS A SHOT WITH THE EUMIG SERVOMATIC 8mm.

This is movie making as it should be—freed of all complications. No winding, no focusing, no aperture setting—all you do is watch for pictures. **£37.15.8**

EUMIG P8M The 8 mm. projector with a world-wide reputation for brilliant, silent, steady pictures. Forward, reverse and still projection, power-rewind. Complete with lamp and two 400-ft. reels. **£35.**

If you have a tape recorder you can add your own synchronised commentary, music and sound effects. P8M Imperial, with tape coupling device, lamp and 2 reels. **£43.5.0.** Standard P8 projector (no reverse), with lamp and 1 reel **£30.15.0.**

JOHNSONS OF HENDON LTD



WALLACE HEATON

LTD

THE CINE SPECIALISTS

127, NEW BOND ST.
LONDON, W.1.
MAYfair 7511



From our GUARANTEED SECOND-HAND stock

8mm. CAMERAS

Bolex C8 single lens model f/2.5 fixed focus Yvar 7 filming speeds, single shot device	£32 10 0
Agfa Movax Automatic I fully automatic exposure control, f/1.9 focusing lens	£42 10 0
Bell and Howell 624B, f/1.9 lens, single filming speed, case	£14 15 0
Bolex C8SL, single lens model, f/1.9 focusing Yvar, built-in exposure meter, single filming speed	£37 10 0
Bell and Howell 605B, twin lens model, f/2.5 standard lens and 25mm. f/1.9 telephoto, 4 filming speeds, single shot control, viewfinder alters as turret is moved, case	£42 10 0
Nizo Helimatic B, twin lens turret and exposure meter, f/1.9 standard and f/2.8 37.5mm. telephoto, 5 filming speeds, case	£42 10 0
Eumig C3R, 3 lens turret model fitted f/1.9 normal, telephoto and wide angle lenses, built-in exposure meter, 3 filming speeds	£32 10 0
Cine Kodak B, Model 20, f/1.9 lens, 25ft. spool loading	£14 17 6
Bell and Howell Filmo Auto 8, twin lens turret, Magazine loading f/1.9 standard lens and 36mm. f/3.5 telephoto, case	£42 10 0
Bolex H8, 100ft. spool loading camera, 3 lens turret, 8, 16, 24, 32, 64 f.p.s. clutch can be disconnected for back wind frame counter, single picture and time exposure, Ocotometer viewfinder adjustable from 6.5mm. to 75mm, f/1.9 focusing lens and 36mm. f/2.8 telephoto lens, eye level finder fitted, case	£115 0 0

16mm CAMERAS

Bell and Howell model 200, Magazine loading 3 lens turret, f/1.9 standard, 0.7in. f/2.5 w/a and 50mm, f/1.4 Ivocal telephoto, 5 filming speeds, case	£145 0 0
Cine Kodak Royal, with f/1.9 focusing lens, magazine loading, 5 filming speeds, adjustable viewfinder	£54 0 0

Bell and Howell Filmo 50' magazine loading, f/1.5 focusing lens 5 filming speeds	£42 10 0
Kodak K100, 100' spool loading, 3 lens turret fitted f/1.9 25mm. and f/2.63mm. and f/4 152mm. lenses, 5 filming speeds, viewing is adjustable for individual eyesight, case	£265 0 0
Bolex H16, 100' spool loading, 3 lens turret 25mm. f/1.4 standard and 16mm. f/2.8 wide angle and 75mm. f/2.8 tele, 5 filming speeds, 8, 16, 24, 32, 64 f.p.s. Motor clutch can be disengaged for backwind, frame counter. An eye level finder is fitted, case	£160 10 0
Bell and Howell 603T Autoload, magazine loading fitted with 1" f/1.9 lens and 3" f/4 Dallmeyer lens	£69 10 0
Bell and Howell Auto Load, magazine load fitted T.T.H. 1" f/1.9 focusing lens with viewfinder	£65 0 0

8mm. PROJECTORS

Bell and Howell 635 21.5v. 150w. Tru-Reflector lamp, Built into own case	£30 0 0
Kodascope Eight 46, 100v. 200w. lamp Power rewind	£17 10 0
Kodascope Mk VIII, 8v. 50w. lamp 400ft. arms, variable speed	£22 0 0

16mm. SILENT PROJECTORS

Kodascope Model EE, 750w. lamp, power rewind, 2" f/1.6 lens	£12 10 0
Bolex G16, 500w. lamp single picture and reverse projection, power rewind	£75 0 0

16mm. SOUND PROJECTORS


Used only for demonstration. Mint condition Bell and Howell 631, 110v. 1000w. lamp. Reverse projection and still picture with speaker and transformer. £212 0 0 Now. List Price	£277 0 0
---	----------

Every item of second-hand equipment has been overhauled and brought up to the Wallace Heaton standard. Every item is guaranteed for one year on the same terms as new equipment. Easy Payments and Part Exchanges are available, and advice from a staff of experts.

For 8mm. by BELL & HOWELL

We stock the entire Bell & Howell range and recommend every item for reliability and good value for money.

The AUTOSET TURRET




With wide-angle and telephoto converters and standard f/1.9 lens. Built-in photo-electric exposure meter coupled to the aperture—no lining-up of indicators is necessary—and there is a signal in the viewfinder which indicates sufficient light for filming. Manual exposure setting is available

if required; and single frames and continuous lock run. The viewfinder has fields for each lens. Film sensitivities of 10, 16, 35 and 40 A.S.A. can be allowed for. A built-in haze filter and an A to D filter are incorporated. Price, complete with case, £39/19/9, or deposit £12/9/9 and 12 monthly instalments of £4/5/2.

The AUTOSET II

This camera has all the features of the Turret model except that instead of the 3-lens turret it has a single f/1.9 10mm. lens, with fixed focus for every subject from 6 ft. to infinity. Price with case, £41/16/-, or deposit £8/16/- and 12 monthly instalments of £2/19/2. Telephoto or wide-angle attachment in case, extra £9/19/8 each.

The MOVIEMASTER



projector

With the brilliant Tru-Reflector lamp. The solid metal 400ft. spool arms fold into place when not in use. The optional T.T.H. "Filmovars" f/1.5 lens which can be varied in focal length from 15mm. to 20mm. enables the picture size to be accurately adjusted to fill the screen. A swing-

out gate for easy threading, variable speed control, rapid power rewind, voltage adjuster, are some of the features on this new Bell & Howell projector. Price with "Filmovars" lens, £36, or deposit £7/10/- and 12 monthly payments of £2/11/1. Price with 20mm. f/1.6 lens £33, or deposit £7 and 12 monthly instalments of £2/6/7.

DEKKO REWIND HEAD

**60%
BELOW
LIST!**

A separate hand rewinder is an essential for film editing (although your projector may already have one built-in). This is a unique opportunity to obtain a very good quality rewinder at a very low price.

The Famous DEKKO REWIND HEAD—for 8 and 16mm. film, taking spools up to 400ft. For screwing to a baseboard; 1:3 gearing, rugged construction, grey crinkle enamel finish with chromium plate shaft. Spools push on and lock in place firmly. List price £3/6/0 per pair, £1/13/0 each.

Our price (following purchase of entire manufacturer's stock), 27/6 per pair, post free—or 14/3 each post free—a saving of over 60%.



**For SERVICE providing
all that the cine amateur needs**



NOW YOU CAN START WITH THE BOLEX B8SL

Owing to the great popularity of this twin-turret Bolex B8SL, it has been possible to bring the price of this model down to £59 19s. 9d. It puts within reach of every beginner the supreme professional quality that has made Bolex the ultimate choice of the experienced cine enthusiast. The B8SL has the Bolex built-in lightmeter with the photo-electric cell immediately behind the taking lens. And the camera body and mechanism are made with the absolute precision you expect of Bolex. It has real

standard and telephoto lenses—not just supplementary optics—essential for needle sharp definition that is vital to modern highly sensitive films. It is simple to use, yet very versatile. You can switch immediately from long shot to close-up adding enormously to the interest of your films. And you will know that with either lens every shot will be crisp and clear and colour true.

See your Bolex dealer now—and be ready for a wonderful summer of moviemaking!

B8SL complete with Yvar 13mm

f:1.9 fixed focus normal lens and

Yvar 36mm f:2.8 focusing mount

telephoto lens, £59 19s. 9d.

Model C8SL, single lens version,

also available.

BOLEX BUILT LIKE A WATCH

and made in Switzerland



THE
CINE SPECIALISTS
IN THE
CITY OF LONDON

CITY SALE AND EXCHANGE LTD

A
WALLACE
HEATON
COMPANY

TEL: MIN. 1156 & 6253

TEL: FLE 9391-2

1 LEADENHALL ST., LONDON, E.C.3

93-94 FLEET ST., LONDON, E.C.4

8mm SPECTO ROYAL



MANUFACTURED TO THE HIGHEST standard to ensure many years of satisfaction. Power rewind. Amazing Tru-Flector lamp, gives screen illumination equal to some 750 watt projectors, with 20mm. f/1.4 lens. All self contained in own carrying case.

£29 19 6

Or with variable focal length lens.

£33 0 0


ADMIRA '8IIA'



With geared twin lens turret, fitted with 12½mm. f/2.8 and 35mm. f/3.5 telephoto lens in focusing mounts. 5 speeds, parallax compensated viewfinder.

Backwind for trick work. Complete in case ... £43 15 0

8mm LUMINA SELF-THREADING PROJECTOR



Film loading is so simple—just put film into sprocket channel, switch on and it loads itself. New type tru-flector, low voltage lamp gives screen illumination equal to some 1,000 watts projectors. Fitted with latest f/1.2 Proval lens giving needle sharp definition Reverse motion, still pictures and power rewind. Gear driven spool arms ensure very quiet running. With its built-in case the Lumina weighs only 17½lb. £59 18 6

HAYNOR ANIMETTE

8mm. VIEWER




Compact efficient motion viewer with 1 x 1½" hooded screen, precision cut brass gears, focusing control, framing device. With base and 2 non-geared arms. New lower price £9 9 0

POWER ZOOM 8mm

MAGIC EYE

KEYSTONE

1.8
L
E
N
S6 ft.
T
O
I
N
F.

- ★ MOTOR RUNS ½ MINUTE
- ★ A.S.A. 10-16-25-32-40
- ★ WRIST STRAP
- ★ BUILT IN "A" TO "D" FILTER
- ★ SINGLE PICTURE DEVICE
- ★ APERTURE SHOWN IN VIEWFINDER
- ★ CASE IN BLACK LEATHER. SATIN CHROME TRIM. FOAM LINED

£102 . 10 . 0

Case ... £7 . 10 . 0

H.P. Deposit £22. 12 payments £7 . 17 . 8
Insurance 20/- for 12 months

- ☐ I enclose £23 for H.P. Deposit and Insurance
- ☐ Please send full details.
- ☐ Please send free copy of 1960/1 Blue Book.


Name

Address

Mail Order Dept., 93-94 FLEET STREET, LONDON, E.C.4




Better buy **BAUER** for quality movies



BAUER 88F
 Lens: 13mm. f/1.8
 Xenoplan
 Meter Range: 10-80
 ASA
 Price £46.17.6
 Case: £3.12.6

BAUER T/10L
 16mm. f/1.4 wide angle
 Kiptagon lens. 12v. 100w.
 lamp. Power rewind. Takes
 400 ft. spool.
 Price £39.17.6 complete
 with lamp.
 Plastic dust cover: £1.15.0.



"Better buy Bauer" is no empty phrase: it sums up the experience gained in the manufacture of fine cine equipment for more than fifty years.

Eugen Bauer of Stuttgart have been designing and producing professional cine equipment since the early years of the cinema industry. Such a proving ground provides unrivalled "know how" and explains why the Bauer cameras and projectors you can buy today are such superb examples of amateur cine equipment. You will appreciate this when you ask your photo dealer to demonstrate Bauer.

FROM ALL GOOD PHOTO & CINE SHOPS

Sole Wholesale Distributors: NEVILLE BROWN & COMPANY LIMITED, LONDON, W.1.




WALLACE HEATON

LTD

THE CINE SPECIALISTS

166 VICTORIA ST.
LONDON S.W.1
VICTORIA 8850/1121




**G.B.-
BELL &
HOWELL
(Autoset)
F/1.9
SUPER
COMAT
LENS**

The "AUTOSSET" with built-in exposure meter which automatically sets the iris to the correct exposure filming.—Filming is now simpler than A.B.C.

Price with case ... £41 16 0

**8mm. PAILLARD-BOLEX
D8-L**



The semi-automatic exposure control device consists of a built-in lightmeter which measures the light actually passing through the lens—the indicator in the viewfinder telling you when the lens is set to the correct aperture. Other features include:—a unique variable shutter to produce fade-ins and fade-outs, seven filming speeds from 12 to 64 f.p.s., single frame exposures, cable release

socket, lens turret head, self-setting film footage meter,

release lock for self-filming.

Price with f/1.3 lens ... £89 4 6

with 3 lenses ... £135 4 6

**16mm. BELL & HOWELL
200-EE**




**WITH "ELECTRIC EYE"
FULLY AUTOMATIC**

The photo-electric "eye" is coupled to the aperture so that the iris is always at the correct aperture. Takes standard 50ft. magazine load films. Five filming speeds—16, 24, 32, 48 and 64 frames per second—and single frame releases control. An f/1.9-20mm. coated focusing lens is fitted.

With case ... Price £192 10 0

**Bell
&
Howell
Lumina
Projector
Self-
Threading**



8mm.

Forward, still and power rewind, gear driven, f/1.2 lens and TruReflector lamp.

£59 18 6

Also "Moviemaster" at £36 0 0

We stock all the latest popular Cine Apparatus and shall be pleased to demonstrate any model in our theatre and to give advice where required.



**EUMIG
C3M
—automatic
8mm. turret
camera**


All the most up-to-date features—built-in coupled exposure meter adjustable for film speeds from 10-100 A.S.A., with indicator needle visible in the viewfinder. 3 lens turret carries a Eumigon f/1.8 12-55mm. standard lens and a Eumicro 31-25mm. (2.5x) tele attachment and Eumicron 6-25mm. (0.5x) wide angle attachment. A centre focusing wheel operates on all lenses.

and each has a fixed focus setting. The viewfinder shows a 1:1 image and is masked automatically for each lens. Filming speed of 16, 24 and 32 f.p.s. may be used, and single shots and continuous running. The clockwork motor has a power-reserve indicator, and a film footage counter with audible warning; and a back-wind handle is fitted.

Price, complete with 3 lenses, £81 7/6, or deposit £16 7/6 and 12 monthly instalments of £5 16/6.


The pistol grip illustrated incorporates a cable release and a wrist-strap and is included in the above price.

**BOLEX
M8R**



(500 WATTS)
With 15mm. f/1.3 lens... £57 10 0

EASY TERMS (Deposit 4/- in the £, Balance over 12 months)



ADMIRA '811A'

With geared twin lens turret, fitted with 124mm. f/2.8 and 35mm. f/3.5 telephoto lens in focusing mounts, 5 speeds, parallax compensated viewfinder. Backwind for trick work. Complete in case... £43 15 0

**QUALITY
+ SERVICE
= SATISFACTION**

• MAIL ORDERS • AND EXPORT

WE CAN SUPPLY NEARLY
EVERYTHING

In the way of new cameras and equipment advertised in this journal—if you are unable to call, please address your enquiry to

(Dept. M/O), Wallace
Heaton Ltd., 166 Victoria
Street, London,
S.W.1,

where it will receive prompt
and individual attention.

BOLEX H-8



One of the finest 8mm. cameras, the H-8 will accept 25ft., 50 ft. or 100ft. double-run 8mm. film. It has every refinement for advanced filmmaking including a turret head with built-in lever to take three lenses, reflex focusing finder, forward and reverse hand crank, still picture device, footage counters and speeds from 12 to 64 f.p.s. The zoom type viewfinder is adjustable to match all lenses with parallax correction. Price with f/1.8 13mm. Yvar focusing lens, £117/19/11.

KEYSTONE

Beautiful cameras for beautiful movies

With the present comprehensive range of Keystone cameras there is a camera that will meet your requirements and your pocket. Ranging in price from the Keystone K-25 Dial/Set 8mm. Camera at £21 (including ever ready case) to the latest advance in movie magic in the Keystone K-10 push-button auto-zoom camera.

BUY WISELY — BUY WELL BUY KEYSTONE



The KEYSTONE K-25 Dial/Set 8mm. camera


Single speed—three-way trigger—continuous run, regular and single frame. "D" mount f/1.8 focusing lens, specially fitted to marked collar to line-up with calibrated face-plate which indicates light conditions. Fitted with wrist strap and finished in grey, complete with ever-ready case

£21 0 0

- | | | |
|------|---|----------|
| K-4 | De Luxe model, fully automatic "Electric Eye" f/1.8 3-lens turret, film speeds ASA 10-40 or manual, "A" and Haze filters | £59 14 0 |
| K-4C | Similar to K-4 but f/2.0 lenses | £55 5 3 |
| K-5 | Fully automatic as K-4 but Magazine load | £67 10 0 |
| K-7 | Zoom—fully automatic "Electric Eye" f/1.8 Zoom lens. Range 9-27mm. Viewfinder Zooms with lens. "A" filter. Film speeds 10-40 ASA. | £82 18 4 |
| K-7D | De Luxe model of K-7 with focusing lens 6ft. to infinity | £89 19 6 |

K-10 PUSHBUTTON- POWER AUTO ZOOM

LATEST ADVANCE . . . LOWEST PRICE . . . ALL-TIME MOVIE VALUE! ALL-NEW—from its sleek ultra-modern styling to its precision-built parts. ALL-AUTOMATIC—electric eye "sees" light changes, instantly adjusts lens. POWER ZOOM CONTROL—handily placed on top for easy finger-tip access. MANUAL ZOOM CONTROL—lets you frame the scene before you start shooting . . . avoids wasted film. ZOOM VIEW-FINDER—zoom with lens, shows you exactly what camera is shooting at all times. DISTANCE FOCUSING RING—assures you of pinpoint focus at any distance . . . including portrait-sharp close-ups. built-in "A" FILTER—lets you use indoor film outdoors. FILM INDEX DIAL—adjusts for all popular film speeds. Price complete with wrist strap



£102 10 0


Come and see us and inspect the full range of Keystone cameras at the PHOTO FAIR - STAND No. 139

full details of these cameras are available from your dealer or direct from the sole importer

JOHN BLISHEN & COMPANY

12 Penzance Place, Portland Road
London W11 Telephone PARK 3456

BRUN LENS HOOD & EFFECTS BOX



enables the user to put into his films, fades, wipes, and other effects. Adjustable in three directions, can be used with 8, 9.5 and 16 mm. cine cameras. Made in light alloy castings, finished in stove enamel and chrome.

As demonstrated on B.B.C.
T.V. Film Club

£4 . 10 . 0

BRUN EDUCATIONAL FILMS LIMITED
15 Prestwich Street, Burnley, Lancs.

A.C.S. OF BROMLEY FOR ALL PHOTO AND CINE NEEDS

Credit Terms Approvals Part Exchanges

Open until 6 p.m. Saturdays



AMATEUR CINE SERVICE LTD.

44 WIDMORE RD. BROMLEY KENT - RAVENSCOURNE C166

MALHAM PHOTOGRAPHIC EQUIPMENT S.E.6

**MALHAM CINE LIGHTING UNITS
ARE WELL WORTH FILMING WITH**

★ ★ ★ ★ ★ ★ ★ ★ ★ ★
CARRILITE

Perfect indoor cine results
FOR ONLY 45/3



- ★ COMPACT & EFFICIENT
- ★ LIGHTWEIGHT
- ★ SAFE & SIMPLE

Indoor Cine films in full colour are now a reality, with all cameras, using this brilliantly designed, portable lighting unit. Compact and light weight, the CARRILITE enables the cine photographer to capture those indoor sequences, vitally necessary, to complete all travel, party, hotel and family films.

ALSO THE CINE FLEXLIGHT

A practical answer to the problem of mobility in lighting equipment, this model appeals to cine photographers. Superbly designed and finished, the unit provides an intense even light source with a wide coverage. The three position, series-parallel switching system effect economies in lamp life.

CINE FLEXLIGHT (inc. purchase tax) £6-13-6

Write now for our new, free, 32 page illustrated catalogue
MALHAM PHOTOGRAPHIC EQUIPMENT LTD.
65-67 MALHAM ROAD, LONDON, S.E.23
Telephone: FORest Hill 9774

DOLLONDS

LOOK FOR THE OWL IN THE WINDOW



Good Companions

For those who choose their Camera with a Projector in mind

The 8mm. Bolex B8SL




The 8mm. Bolex model which has the single-speed camera body of the C8SL complete with Light Computer, with twin-lens turret. The B8SL camera is only sold complete with the following two lenses:
13mm. f/1.9 Yvar Fixed focus standard.
36mm. f/2.8 Yvar. Telephoto.

Now only £59 . 19 . 9

Or Deposit of £12/19/9 and 12 monthly payments of £4/4/3 or 18 at £2/17/6.

Shortly Available The New 8mm. Bolex 18.5 Projector



A revolutionary new projector that not only gives a perfect picture at 18 f.p.s., but a 'living still' picture flicker free at 5 f.p.s. This means a longer viewing time of static subjects i.e., Buildings or Landscapes. One need only make a 2-sec., exposure at normal filming speed for a 7-sec., picture sequence at 5 f.p.s. One thus has a saving of film with the advantage of perfect viewing. Complete with 8 volt 50 watt lamp; f/1.3 Hi-Fi lens; Forward and reverse motor. Single control for lamp, speeds, motor and rewind. Price

£57 . 10 . 0

Or Deposit of £11/10/0 and 12 monthly payments of £4/2/5 or 18 at £2/15/3.

8mm. Admira 811A




The 8mm. Twin lens turret camera with 12.5 mm. f/2.8 Mirar and 35mm. f/3.5 Telemiar. Both lenses coupled for rapid focusing. 5 filming speeds, with backward for lap dissolves. Footage and frame counter. Parallax compensated viewfinder.

£39 . 10 . 0

8 Months:
Deposit of £4/10/0 and 8 monthly payments of £4/11/1.
12 months:
Deposit of £8/10/0 and 12 monthly payments of £2/17/5.

8mm. PSM Imperial



A brand new Eumig Projector with a number of advanced features.


- A new pre-centred 12 volt 100 watt high-intensity lamp.
- Forward, reverse and single frame projection.
- Provision for manual single frame picture transport.
- Power rewind.

The capacity is 400ft. spool and the projector is complete with 2 spools, lamp and built-in sound coupler.

£43 . 5 . 0

Or Deposit £5/5/- and 8 monthly payments of £4/18/9.

Bell & Howell 8mm. Sportster IV



The Bell & Howell Electric-Eye cine camera is the ideal companion for what ever aspect of cine photography you attempt, additionally making most accessories unnecessary. Consider some of many outstanding features:

- 3 Lens Turret, with normal, wide angle and telephoto lenses. All with a maximum aperture of f/1.8.
- Built-in A to D filter that can be used for all lenses.


- No Haze filter required as all lenses are haze corrected
- Periscope Viewfinder, enables you to see all the settings in the viewfinder as you film.
- Field of View clearly marked in Optical finder.
- Electric-Eye giving automatic exposure control.
- Three way starting button gives easy change from normal to slow motion or single speed as desired.

Price including English Hide E.R. Case.

£69 . 19 . 9

Or Deposit of £14/19/9 and 12 monthly payments of £4/10/7, or 18 at £3/7/2, or 24 at £2/12/9.

Bell & Howell "Lumina"



The new Bell & Howell Lumina leads in 8mm. projection field with many new and advanced features. Note the following:

- Self-threading, automatic and accurate.
- True-flector lamp giving maximum light concentration.
- New f/1.2 Proval lens.
- Power rewind and gear driven reel arms.

- Adjustable Speed Control. 14 to 24 f.p.s.
- Still picture and reverse projection.
- Projector completely folds in its own case.

Price complete with lamp

£54 . 18 . 6

Or Deposit of £11/18/6 and 12 monthly payments of £3/17/1 or 18 at £2/12/7.

AVAILABLE THROUGH EVERY DOLLOND PHOTO SHOP

LONDON:

28, Old Bond Street, W.1. Tel. HYde 5048/9
425, Strand, W.C.2. Tel. Temple Bar 9009 & 8779.
1, Copthall Chambers, Angel Court, E.C.2. Tel. MONarch 4618.

35, Brunswick Road, S.W.4. Tel. KENnington 8092.
2, Northumberland Avenue, W.C.2. Tel. WHITAbell 3301.
217-218, Tottenham Court Road, W.1. Tel. LANGham 4321.
22a, Seven Sisters Road, Holloway, N.7. Tel. ALHChway 3718.
17, Tottenham Parade, Crouch End, N.4. Tel. MOUntray 2419.
41, Bond Street, Ealing, W.5. Tel. EALIng 4401.
69, Streamline Hill, S.W.5. (Pearsons (Cine) Ltd.). Tel. TULee Hill 9602/3.

GREATER LONDON:

CROYDON: 15, George Street. Tel. CROydon 0781.
E. HARBOROUGH: 637, Fulmer Road. Tel. UDDerhill 1202.
KINGSTON: 26-28, Thames Street. Tel. KINGston 5050 & 4187.
PROVINCIAL:
BRIGHTON: 22, St. James's Street. Tel. BRIGHTon 681602.
BOLTON: 21, Market Street. Tel. BOLton 25109.
CANTERBURY: 22, High Street. Tel. CANTerbury 3488.
CARDIFF: 65, Queen Street. Tel. CARDIFF 27160.
DOVER: 28, High Street. Tel. DOVer 2382.
HEREFORD: 20, High Town. Tel. HEREford 2746.
LEEDS: 27, Bond Street. Tel. LEEDs 25106.
LEEDS: 54, The Headrow. Tel. LEEDs 25717.
LIVERPOOL: 66-67, Dale Street. Tel. L'pool Central 6711.

LIVERPOOL: 71, Bond Street. Tel. L'pool Royal 1892.

MANCHESTER: 96-97, Deansgate

Tel. Manchester Blackfriars 5997.

MIDDLESBROUGH: 26, Lanthorpe Road.

Tel. Middlesbrough 3386.

NEWPORT (MON): 42, Commercial Street.

Tel. Newport 43609.

NORTHAMPTON: 63 Abington Street.

Tel. Northampton 1744.

ROCHESTER: 17 & 18, Catherine Street. Tel. RALeigh 2922.

SOUTHAMPTON: 56-61, New Road, Six Dials.

Tel. Southampton 25190.

SWANSEA: 54, Castle Street. Tel. SWANsea 54439.


YEOVIL: 3, High Street. Tel. YEOVil 430.

Instant Credit



DIXONS LEAD THE WAY...

TO BETTER
CHEAPER
MOVIE SHOWS



ASTRO

Don't miss this tremendous bargain . . .

ASTRO STANDARD

£24.10.0

Brand new with f/1.5 coated lens, 500 w. lamp and all other features shown. Carrying case 37/6.

£2 DOWN and 8 monthly payments of 60/6 or DEPOSIT £5 and 12 monthly Payments of 35/- or 18 of 24/6.

Plus—
f1.5 20 mm. LENS

500 WATT LAMP

included in this low price




Bigger, brighter movie shows; colours are more vivid with the 500 watt Astro

EXTRA COOL RUNNING due to powerful blower and extra large finned lamphouse with aluminium thermal screen. **GATE STOPS "SPICE JUMP"** by ingenious side tension springs. All-nylon gearing for quiet running. **FEATHER-TOUCH MICRO SWITCHES** control interlocked lamp, motor and blower operation. Fully variable range of speeds. **400FT. SPOOL ARMS** give full half-hour's show. **FIVE-YEAR GUARANTEE.** Material and workmanship in the Astro is so fine, we guarantee perfect operation for 5 years! Full spares and service facilities in U.K.

Compare these features with any other 8 mm. projector under £50.

HOLIDAY METERMATIC



£39.15.0
sensational price for this fine cine-camera

Sent for only
£4 DOWN

and 8 monthly payments of 96/- or Deposit £8 and 12 M.P. of 37/-

Triple lens turret, 8mm., complete with normal, telephoto and wide angle f/1.8 lenses. Built-in exposure meter for perfectly balanced colour movies.

**BETTER VALUE
THAN EVER
NOW!
BOLEX**




These finest of fine cine-cameras are undoubtedly a cine enthusiast's dream. Such a wide range, and every item so absolutely top of its class. Everything in the current Bolex range of equipment—from £2 to £200—can be supplied by mail or at Dixon Camera Centres everywhere. Let us know your requirements or write immediately to us.

DETAILS, LISTS, PRICES, TERMS, ETC., From

DIXONS—THE Bolex SPECIALISTS

The Camera of Tomorrow—
for you today

**EUMIG
C3M
£81.8.6**



Famous C3 model now with turret of f/1.8 lenses. All three focused at once by central wheel. Automatic viewfinder masking. Coupled exposure meter for all films. Variable speeds. Pistol grip included.


£8 DOWN

and 8 monthly payments of £9/17/- or deposit £16/10/- and 12 of £5/16/6 or 18 of £4/1/- or 24 of £3/2/3.

Only Dixons have such bargains...

from Dixons

10
DAYS
FREE
TRIAL



Sensational new Magic Eye 8mm. Camera

ADMIRA 8F £24 10 0

The "Magic Eye" built-in exposure system ensures perfect colour movies in the simplest possible way. Just line up a pointer in the eyepiece and the exposure is set. There's nothing else to do! The fixed-focus f/2.8 Mirar lens gives pinsharp pictures from 3ft. to the horizon. Professional sprocket drive. Slim fit-the-hand shape gives rock-steady movie pictures, easy panning etc. Wonderful value. Sent on 10 day's Free Trial for only


£2 DOWN

and 8 monthly payments of 60/6 or DEPOSIT £8 and 12 monthly payments of 35/- or 18 of 24/3. Case £3/15/- extra.

SEE THE ADMIRA AT YOUR NEAREST DIXONS OR WRITE FOR FULL DETAILS.

ADMIRA 8 IIa

£45.0.0



This is the new improved model with super-fast f/1.9 standard and telephoto lens in twin-lens turret. Parallax corrected viewfinder. Motor with immediate cut-out to avoid slow-down. 5 speeds to 48 f.p.s., and backward

sprocket feed for rock-steady pictures.


£4 DOWN and 8 monthly payments of £5/10/3 or £9 DEPOSIT and 12 monthly payments of £3/4/6 or 18 of £2/5/0 E.R. Case £4/5/8.

PORTAY

8mm. EDITOR

£12. 18. 6

The Portay has dual speed rewind arms taking up to 400ft. spools. Smoothly running nylon/steel bearings. Large recessed screen of high brilliancy, 2½ x 1½ in. Everyone's family films are vastly improved by judicious editing.



£1 DOWN

and 8 monthly payments of 32/-.

FREE BOOKS!




Dixons send you, with all orders, a free specially written How-to-do-it photographic book. These have been specially written by Stanley Dixon and are obtainable elsewhere. Seven different titles make sure that you get the best from your equipment when you buy from Dixons. **Get the Best from Dixons**

£36.0.0

EUMIG P8M

£69. 19. 9

B & H SPORTSTER IV



Revolutionary redesign of world famous 8mm. projector. Now with high intensity precentred lamp, single frame, reverse projection, power rewind. Big, bright movies, from this splendid machine.

£4 DOWN

and 8 monthly payments of 86/- or DEPOSIT £7/10/- and 12 of 51/3 or 18 of 35/9.



£7 DOWN

and 8 monthly payments of 68/9/3, or DEPOSIT £14 and 12 monthly payments of £5/0/3; or 18 of £3/10/-; or 24 of £2/13/6.

Even better than world-famous Autostet! Triple-turret f/1.8 lenses with built-in A-D filter. "Electric Eye" sets camera automatically—variable 10-40 ASA film speeds. Normal and slow motion speeds can be taken in same shot without readjustment. Case included.

**BIGGEST STOCKS
EASIEST TERMS**



**POP IN
THIS
SATURDAY!**

At every Dixon Camera Centre on-the-spot easy terms are always available, together with the soundest of sound advice. For friendly expert service go to any of the Dixons Camera Centres listed below.

OPEN 9 - 6 INCLUDING SATURDAYS

BIRMINGHAM

11-12 UNION ST.
TEL. CEN 8511

BRIGHTON

THE CLOCKTOWER
TEL. 25622

BRISTOL

72 PARK ST.
TEL. 22511

LEEDS

89 BRIGGATE
TEL. 23211

LEICESTER

32 GALLOWTREE
GATE. TEL. 58511

LIVERPOOL

83 LORD ST.
TEL. CEN 5011

READING

70-71 BROAD ST.
TEL. 50911

SOUTHEND

32 HIGH ST.
TEL. 65611

CLAPHAM JCT.

93-95 ST. JOHN'S RD.
BA7 6611

CROYDON

12 LONDON ROAD
CRO 9511

EAST HAM

3 STN. PDE., HIGH ST.
NORTH. GRA 9511

EDGWARE

185 STATION RD.
EDG 7011

SLOUGH

273 HIGH ST.
SL 23211

Dixons

For Instant Credit

Nine out of ten Dixon customers pay only a small deposit and take credit goods away INSTANTLY.

All Dixon goods are covered by Dixons'

**2 YEAR
GUARANTEE**

This guarantee covers all defects in materials and workmanship. Defects not caused by abuse or normal wear repaired free.

ORDER NOW CASH OR TERMS

Send on 10-Day Free Trial.....
If I am not satisfied in any way I may return the equipment for full refund.
Included at no extra deposit ☐ E.R. Case ☐ Accessories as below:

I enclose £..... as deposit, balance in..... months

NAME.....

ADDRESS..... A33

Dixons



DIXON HOUSE, 128-136 HIGH STREET,
EDGWARE, MIDD. Tel.: EDGware 5211

See it at your nearest Dixons...

**Post this
coupon
TODAY
for 10 days
FREE
TRIAL!**


423 GREEN LANE,

LONDON, N.E.

MOUNTVIEW 5241/2

HARRINGAY PHOTOGRAPHIC SUPPLIES LTD.

THE LARGEST
SURPLUS DEALERS
IN PHOTOGRAPHIC
AND CINE EQUIPMENT
AND MATERIALS IN
THE COUNTRY



LAMP FAILURE? WHY NOT KEEP A SPARE! ! Special Clearance Offer!!

Bulk purchase of over 10,000 popular branded lamps enables us to offer a lamp for your projector at less than half usual prices, all fully guaranteed.

* Postage on one lamp 1/6 extra *

750w. 110v. Prefocus cap for Amproound, Victor, Stylist, BTH 301, 401, Devry, Kodak EE, G, GA, KL, etc., Bolex G, M8R. Usual price £2/13/-, our price 27/6.

750w. 120v. 3 flange for Debrie, B.I.F. Usual price 53/-, our price 15/-.

750w. 200/230v. Prefocus for Ampro Educational, Viking, Aldis Super 6, 750, Aldis Star "750", Hi Lyte 740. Usual price 53/-, our price 27/6.

750w. 120v. Bell & Howell cap for all models. Bell & Howell, usual price 53/-, our price 27/6.

750w. 110v. Special Cap for L.516. Usual price 53/-, our price 30/-.

750w. 200/230v. Bell & Howell Cap for Bell & Howell 626, 613H, etc., and all models of Bell & Howell when not using step down lamp transformer. Usual price 53/-, our price 27/6.

500w. 110v. Prefocus Cap for Danson 540 D23A, Bell & Howell 57R, 57S, Vocational Filmosound 120A, B, C, Debrie, Dekko, 118A, 118B, 119A, 119B, 126A, 126B, Dittmar Duo, Eumig P26, GebeSCOPE F, Keystone A75, L8, Kodak A, B, E, EE, G, GA, K, L, 8/33, 16/10, FS-10, 8/90, 8/500, Viking, Mlepta OP16, Bolex G16, M8R, G3, Specto "500", Victor Silent, 16mm., Zeiss Ikon, Bell & Howell 625. Usual price 46/-, our price 25/-.

500w. 230v. Prefocus Cap for Bell & Howell 625H, Ampro Educational, Viking and for all 500w. Prefocus Projectors not using a step-down lamp transformer. Usual price 46/-, our price 25/-.

500w. 110v. GebeSCOPE for L516 3 pin fitting. Usual price 48/-, our price 20/-.

500w. 110v. Bell & Howell Cap for Bell & Howell 604M, 625, 610, 602, 613, 624, 622, 613H. Usual price 47/-, our price 27/6.

500w. 110v. 3 Flange for Debrie B.I.F. Usual price 58/-, our price 12/6.

500w. 230v. Bell & Howell Cap for Bell & Howell 604H, 625H, 626, 613H. Usual price 47/-, our price 27/6.

300w. 110v. Prefocus Cap for BTH, SRB, 16mm. Danson, D23, Ensign 300B, Eumig P111, Keystone J8, Kodak CDE, EE, K, L, G, GA, 8/33, 8/70, 8/71, 8/80, Kodascope Royal, Kodak F Series, Kodak 8/90 Series, Dittmar Duo. Usual price 34/3, our price 9/-.

300w. 120v. Prefocus Cap for Dittmar Duo, etc., and all pre-focus lamp Projectors not using step-down transformers or resistances. Usual price 34/3, our price 21/6.

250w. 50v. Prefocus Cap for Specto Educational, Specto Analysing, Agfa AL, Autocrat, GebeSCOPE Model A, B, C, Kodak A, K, B, Siemens. Usual price 30/-, our price 15/-.

250w. 110v. Prefocus Cap for Dittmar Duo, Paillard Bolex P, C, D, Specto Educational. Usual price 27/6, our price 15/-.

250w. 230v. Prefocus Cap for Dittmar Duo, Eumig P25, P111 etc. Usual price 27/9, our price 15/-.

200w. 110v. Prefocus Cap for Kodak 8/50, 850R, etc. Usual price 27/9, our price 8/-.

200w. 50v. Prefocus Cap for GebeSCOPE A, Siemens Standard, Siemens HB, Zeiss Ikon Kinox. Usual price 27/9, our price 15/-.

100w. 30v. Prefocus for Specto, 10/-.

100w. 12v. Prefocus (not for Eumig or Son), 5/-.


100w. 230v. Prefocus Cap. Usual price 19/6, our price 10/-.

100w. 110v. 815s. SCC. Cap for Agfa Movector, Kodak 80/30, 8/25, N. Usual price 18/3, our price 5/-.

100w. 230v. 815s. S.C.C. Cap for Noris, etc., and any projector accommodating a small single centre contact cap. Usual price 18/3, our price 10/-.

AMAZING CINE OFFER


Another huge purchase of the popular Ex. Govt. G45, 12 or 24 volt 16mm. Cine Camera enables us to reduce the price to 50/- complete with magazine (spare mag. 6/-). Features are: 16 f.p.s. electrically operated. High quality f/3.5, 2in. lens (fixed focus) magazine loading. Buy now! Post 2/6 extra.




JUST RELEASED

G.G.S. Recording Cameras, 16mm., with coated lens f/1.9 with iris. Speeds 2 and 16 f.p.s. Hold 25ft. film. Variable shutter speeds. 5./h. £3/10/-, new £5

8mm. ROYAL-300



300 watt prismatic lamp system giving increased screen brilliance. 200/250 volts A.C. 400ft. arms and double claw movement. Fast rewinding, variable speed, built-in carrying case. Price only £10/10/-, Lamp 33/-, £5 deposit and 6 monthly payments of £2/13/6.



L516 PRO- JECTORS FOR SOUND OR SILENT FILMS

We are now able to offer new 16mm. L516 Projectors (as widely used by the Admiralty and Air Force) with speaker complete and ready for use with full 6 months' guarantee. Price only £90.

These 16mm. Sound and Silent today have 500w. lighting, 12 in. Speaker, automatic film trip, sound/silent speeds, operation on 200/250v. A.C./D.C., provision for mic. or gramophone, 1,600ft. spool arms.

We shall be pleased to take your equipment or Projector in part exchange and offer attractive H.P. terms.

In addition we can offer reconditioned ex Air Ministry L516 Projectors, finished in brown rexine and complete as described for new projectors as above with same 6 months' guarantee at £68. H.P. terms and part exchange invited.

L516 SPARES, L516 INSTRUCTION BOOKS
We can supply all new L516 Spares from stock. State requirements. Photo electric cells, £2 NEW.

SPECIAL BARGAIN OFFERS

Ex Admiralty Projector Stands, £4/10/- each, carr. 5/-, Wratten 85 (Kodachrome) Filters 50 or 42mm., 10/- each. B. & H. Model 606 Carrying Cases, new, 39/6 each.
Underwater case for 603, £5.
Canva Protection Covers for B.H. 630 etc., 10/-.
Wratten yellow filters for f/2.5 12mm. lenses, 6/-.
Precision Quality Pan and Tilt Head. Usual price £11, reduced to £4/15/-.

NEW PHOTO ELECTRIC CELLS

L516, Ampro, Debrie (4 pin), £2; BTH, SRB, Vox, Bell & Howell, Pathé B.I.F. (2 pin), 30/- each; Debrie (7 pin), 37/6; Bell & Howell 631, 636, 50/-.

CINE FILM DRYERS

16mm. and 35mm. 250ft. capacity ports drying frames, new, ex-U.S.A. forces, bargain, £9 e...n.

LAMP TRANSFORMERS/RESISTANCES

500w. 200/250 A.C.	110v. Out	£5 0 0
200w. 200/250v. A.C./D.C.	110v. Out	15/-
Resistance	110w. 230 A.C. 110v. Out Transformer	17/6
110w. 200/250 A.C.	24/30v. A.C. Out	17/6

Other resistances and transformers in stock.

BEST QUALITY WHITE SCREEN MATERIAL

A completely new material with a brilliant matt white surface completely free from dazzle and non-directional. Ideally suitable for colour. The best in screen material. 5ft x 4ft. 30/-; 4ft x 4ft. 22/-; 4ft x 3ft. 19/-, Post 3/-.

16mm. UNEXPOSED FILM, SEALED TINS

12 rolls 25ft. slow Pan	...	20/-
New empty Kodak mags.	...	3 for 10/-
50ft. fast pan 16mm. reversible film in Kodak magazine	...	10/6
Tins of 16 rolls 10ft. 16mm. H.P.3.	...	3 for 9/-
Negative	...	4/6.

8mm. B. & W. 25ft. DOUBLE-RUN NEGATIVE FILM (Unspooled and not process paid)

Fast 29° or Slow 27° Pan, or slow positive film ... 6/6. post 6d.
8mm. 25ft. Reversible film 8/-.
Exclusive offer of unused Coated Projection Lenses by well-known lens manufacturers, in faultless unused condition, they are not ex-Government surplus lenses.

PROJECTION LENSES

Dallmeyer Coated Lenses for De Brie, 301, 401, etc. 1in., 1 1/4 in. or 2 in. lenses: ...	Our price	£4 5 0
2in. Dallmeyer or Taylor Hobson Coated Lenses for 16mm. Specto, Ensign, Barrel dia. 1in.	Our price	£2 17 6
2in. Coated Projection Lenses fitted for 16mm. Ampro, Victor, L516, S.R.B., Bell Howell, etc., etc.	...	£3 17 6
1 1/4 in. Coated Lenses fitted for 16mm. Ampro, Victor, L516, Ensign, Specto, etc., etc.	...	£4 15 0
2in. Lenses for 16mm. Bell Howell, Dekko.	...	£3 0 0 each

8mm. PROJECTION LENSES

1in., f/1.65 Coated Raylton Hobson or Projection Lenses, 22mm. dia. Barrel, suitable for Eumig, Bell Howell, etc., etc. List price £7 10 0	Our price	£3 10 0
1 1/4 in. Dallmeyer Lenses	...	£3 0 0


TRIPOD BARGAINS

New best quality tripod with double lock on sliding legs. Weight 7 1/2 lb., extending from 3ft. 2in. to 5ft. 2 1/2 in. Price 50/-, p.p. 2/9. With adaptor head for use with all types of cameras, 8/- extra. Heavy duty ball and socket pan heads £1 extra. Suitable for any tripod.

SPECIAL OFFER

16mm. steel spools and cans. New. In maker's wrapping. At less than half price.

400ft. spool with container	...	5/- post 1/3
1,600ft. ditto	...	12/6 post 2/6
400ft. spools and cans, steel	...	3 for 4/- post 2/-
800ft. 2-way Fibre Transit Cases, new	...	3/6 post 1/-
1,600ft. 2-way Fibre Transit Cases, new	...	7/6 post 1/-
New 1,600ft. 16mm. De Brie aluminium spools	...	8/- post 1/-
1,200ft. 16mm. Steel Spools only	...	6/6 post 1/-
1,600ft. 16mm. Steel Spools only	...	8/- post 1/-



TEN BEST OF 1960

★ ★ TWO STAR AWARDS

FOR THESE FILMS

ALL ARE 8mm. DETAILS OF THE ONE STAR AWARDS APPEARED IN OUR ISSUES OF MARCH 30th AND APRIL 6th. **NEXT WEEK: THE TEN BEST**



In "Wishes to Meet", by David Pollard, a young widow advertises for a husband.



Hands play the leading role in "Mariella", by Sutton Coldfield C.S. Study Group.



One character is fussed, another unconcerned, over missing a train in Wulfrun C.C.'s "A Question of Temperament."



Family episodes provide the theme for "Morning Routine", by J. J. Whelan. All four scenes reproduced here are frame enlargements.

A MATTER OF LIFE. 50ft.

By Class Films, Brixton.

It is the year 2060. Tired of life, a young man goes to the Ministry of Death, voluntarily submitting to die. The government has set up this ministry because the world's population has grown too much. But instead of dying, he goes away with a girl whom he meets there, choosing life and love.

We commend this little picture for its completely gripping opening sequences, and for the original, macabre idea behind them. The early scenes at the ministry are put across with great skill, and are all the more effective for not being over-dramatised and for the matter-of-fact ordinariness which informs the behaviour of the officials whom the young man meets.

The editing is skilled (although we were irritated by the shot of the notice, cutting to a close-up, then away again to the original shot—one shot would have been sufficient!). The scene in the Death Room is similarly chilling—but the ending fails to come off. For one thing, there isn't enough of it, and there is some confusion about what exactly is going on. For once, here is an amateur film which is too short!

We look forward to seeing more imaginative films from these producers. But they mustn't be afraid of footage—short films can have a virtue all their own—and almost spoil good material in their concern for brevity.

A PART OF HEAVEN. 260ft., c. t.

By Dr. W. A. Sultana and V. Lungaro Mifsud, Malta.

A cripple is persecuted by jeering children. A small child visits him and persuades him to make his home gay, and to work hard to make his garden lovely. He does so, and next season he is accepted by the now friendly children, who are delighted by the beauty he has created.

A QUESTION OF TEMPERAMENT. 150ft.

By Wulfrun C.C., Wolverhampton.

Two men miss a train. One takes the matter very unconcernedly, while the other dashes around in a frenzy, taking taxis, trains and a great deal of trouble to try to get there on time all the same. When he does arrive, he finds that the phlegmatic character has done just as well, travelling by the next train.

ALADDIN AND HIS WONDERFUL LAMP. 290ft., c. t.

By G. F. Rogers, Timaru, New Zealand.

The story enacted by animated puppets.

AND SO —. 40 ft., c.

By Dr. Frank Bottomley, West Bromwich.

Experiment in animation. While baby 'reads' in bed, the toys play together for a while.

This is a very pleasant little picture, with lovely indoor colour and very neat animation effects; and there are some nice angles, giving great pictorial interest. But there is a lack of substance—this is more of a sketch than a complete film in itself. Even in fantasy like this, we don't like to see loose ends—why the duck on the line, for instance? Nothing comes of this; we hoped we were going to see a thrilling last-minute rescue by another toy, as the model train bore down on the bird.

The child is not well directed, and there are signs of self-consciousness which could have been avoided by tactful production technique. But we enjoyed this film, which we rate higher than many much more ambitious efforts.

AND SPUTNIKS, TOO. 500ft., c, s.

By Robin Lacey, Cheam.

Record of a visit to Russia.

BROKEN MELODY. 100ft., t.

By Ray A. C. G., Altrincham.

A once-famous pianist, now ruined and in wretched circumstances, listens to one of his old records. He has lost a hand, and can play no more.

This is very well shot, and the face of the musician is a memorable one, well-captured throughout the film. Locations are used most convincingly, and it is a distinct merit of the production that we are able to criticise it at a quite high level.

Some significant details look wrong, however; credibility is essential if such a film is to make its maximum effect. This man has once been of the musical aristocracy; would he now touch his cap as he does here, in the manner of a man who has been for ever on the streets, a near-beggar?

Would his agents have sent him a postcard telling him that a recording session had been arranged? Would he have been so completely ruined as the picture represents? If he had taken to drink, wouldn't it have been gin on the fringes of Bohemia rather than beer in a Lancashire industrial back-street? And his finding the old record—this is a little bit contrived, isn't it?

The track is rather erratic—the synchronisation of music and record-playing needed to be exact; perhaps we should only have heard music when he did, from the disc?

A film we shall remember, but lacking that closer attention to detail which is demanded

for complete success. We hope that the producer will turn his attention to a story more apt for his setting. He knows how to use real life locations, and he has an actor of great potentialities. He should keep off the dangerously near-sentimental dramas, and give us something simpler and likelier—then we may have a winner!

CLUB ROUND-UP. 50ft., c.

By Flt.-Lt. W. D. Askham, Northampton.

R.A.F. photographic club publicity film.

CONFLICT. 60ft., c, t.

By A. M. Richardson, Dunedin, N.Z.

We watch the hands of a tobacco-addict who is trying to give up cigarette-smoking, encouraged by an elderly lady who shows him a pamphlet on cancer, and offers him sweets. In a delirium of longing, he sees a little cigarette-and-matches man, who torments him and eludes destruction. Then the little man shows him a newspaper headline concerning a centenarian smoker. He starts to smoke, satisfied once more . . .

This film shows much imagination, and impressive skill in the animating of the "little man". The decision to concentrate only on hands—both the smoker's and the old lady's—was a wise one; this gives the film a compelling, unusual slant. The use of a red filter is most effective as the nightmare grows.

Two things are required for a real success, however: (1) A much more pungent track. Beethoven's *Appassionata Sonata* certainly suggests, at the opening, a grimly serious mood. But it doesn't match the rhythms of the visuals, and, later, when the mood changes through fantasy to a kind of comedy, it is not appropriate. Was it added as an afterthought?

(2) A sharper ending. The present one is unworthy of the originality of the rest. It could be improved by a more rapid treatment—once the point of the newspaper heading is seen, the rest is anti-climactic—but it would be better to devise something more unexpected. Suppose, for instance, the man had given up cigarettes, despite his grim experiences; then, at the end, the camera tilted up to show that his companion was smoking happily, with a maniacal grin on her face?

GAZE IN WONDER AT A TREE. 175ft., c, t.

By R. A. Clark, London, N.14.

Poetic documentary.

This sort of thing is very hard to pull off successfully. The pitfalls are many, and we fear that the producer has fallen into some of them! There are some very lovely shots—indeed, the film is consistently beautiful to watch—but the commentary is far from satisfactory. The science is superficial in the extreme (would it have been possible to combine instruction and poetic adulation at the beauty of trees, in the same film, anyway?), and the narration abounds in well-worn clichés—such as the description of the tree as "a verdant monument to life". It would have been better had the producer more often left the striking visuals to speak for themselves.

What quite is the relevance of the shots of canals and goldfish? The music is poorly recorded, and not very sensitively selected.

We admire much in the film, and we admire the producer's courage in attempting such a project. But a final impression remains of an unsatisfactory re-hash pictorially of the *Readers' Digest* piece which inspired the

production—memorable pictures, but a not very inspiring total treatment!

HVAR. 165ft., c, t.

By F. J. Swinger, Crawley.

Holiday memories of Hvar, Yugoslavia.

MADE FOR JOY. 200ft., t.

By Ken Rolf, Ilford.

A little girl's view of the seaside.

This is certainly a splendid way of producing a holiday film with a difference. The result could be (and is, to some extent in this entry, despite some shortcomings) a picture of considerable charm and general interest.

But isn't this commentary just a little bit over-sophisticated? Isn't this the adult's view of what the child might be thinking, rather than the authentic childhood vision? On the other hand, many of the verbal images charmed and amused us—the sea, "blue and bent", the sand (wrinkled) looking "worried"! It was very pleasant to be spared an indifferent musical accompaniment and to hear instead a nicely read narration which avoided clichés.

The rescue sequence is very unconvincing, however, and we felt that this episode of would-be dramatics was unnecessary. Also, the final shots—the return to the "digs"—came as a frightful anti-climax after those superb images shot against the sunlight near the end.

Not completely successful, and marred particularly by a somewhat loose structure and some unnecessary interpolations, but tidied-up—and pruned down—a little, this might have rated very high indeed. It is a most original holiday film which we enjoyed seeing.

MALTA HOLIDAY. 450ft., c, t.

By T. H. Pettit, Caversham.

A visit to the Island.

MARIELLA. 110ft., c, t.

By Sutton Coldfield C.S. Study Group.

Mariella remembers her childhood, her youth, her marriage, the coming of her first child . . .

This is a quite charming little film. We liked the device of never showing Mariella—of only seeing her hands, and what they do; this may not be original, but it is used here very effectively indeed. The music is pleasant, and the narration is read most sympathetically. The colour is very good—here is remarkable quality for an 8mm. colour dupe!

The time-lapse devices are very well contrived: we admired the transition showing the little girl carrying a plasticine model out through the door, and cutting immediately to the door opening on a classroom and timetable, years later.

What lets the film down is its ending. The " . . . or the beginning?" is too slick, unoriginal and mawkish. And the film should surely have ended on the shot of the big beads with which it opened—Mariella's toy passed to her own child; this would have been much neater than the present extraneous ending.

MONUMENT TO IMAGINATION. 377ft., c, t.

By P. Wehner, Durban.

Record of a holiday spent by car in the Kruger National Park, South Africa.

MORNING ROUTINE. 100ft., c.

By J. J. Whelan.

The morning routine of mother and Nicholas, aged four months.

PLASTIC AUTOLITHOGRAPHY. 100ft., c, t.

By Ron Carey, Southampton.

Documentary.

TAXIDERMY IN MALTA. 120ft., c.

By A. F. H. Stevens, Carshalton.

The stuffing and preparation for sale of a purple heron.

A well made little film, which we found most interesting, despite its somewhat gruesome visual material! It is hard to pick faults in the visual treatment, which is most competent, especially in its achievement of smooth time-


KEY: c, colour; s, stripe; t, tape

THE ACW OSCAR WINNING FILMS OF 1960

WHO are the leading film makers of the year? What sort of films have gained for them the coveted ACW Oscar? You'll find the answers in next week's fully illustrated report. And you'll be able to see all ten films at the National Film Theatre next month.

Performances at 6.15 and 8.30 on Thursday, May 4, Friday, May 5 and Saturday, May 6. Additional performance at 3 p.m. on Saturday, May 6.

Tickets at normal theatre prices: 2s. 6d., 4s. and 6s. The 4s. and 6s. are bookable in advance. Write the theatre at South Bank, Waterloo, London, S.E.1 (please remember to enclose a stamped addressed envelope) or telephone WAT 3232. The box office is open for advance bookings daily, except Sundays, from 11.30 a.m. to 7.30 p.m.



READ all about them next week.

SEE them at the National Film Theatre next month (May 4, 5 and 6).

lapse; the actual business occupied several hours, the film only ten minutes or so, yet there is no feeling of incompleteness as far as the time element goes. But what was the point of the opening two shots?

The final images are very beautiful indeed. We have, of course, plenty of evidence of this producer's great skill with a camera and colour film in his 16mm. entry for this year's competition; it is also well in evidence in the closing passages of the present picture.

Our main criticism is that the material badly needs some explanatory commentary or titles. It is tantalising to see so much going on, so clearly presented, yet not to be quite sure what the purpose of everything is. It was a bad idea to present the film silent—and a tribute to the producer's skill that it still has some effect, even seen without a word of interpretation.

THE ESTIMABLE GOTHIC. 200ft., c, t.

By B. E. Deamer, London, N.11.

A survey of classic Gothic horror themes; what have we to compare with these evil fantasies? The Bomb!

THE EXTRA SPECIAL MODEL. c.

By A. F. H. Stephens, Carshalton.

A man buys a Viking ship model-building kit. It is marked, surprisingly, "extra special model". In a dream, he sees it behaving remarkably on the water—it dives and re-surfaces like a dolphin! He rushes to the water, on awakening, to see if it will fulfill his dream. It sinks like a stone. But when he has gone away, it comes to the surface, then begins, all by itself, to behave as oddly as it did in his dream....

THE GRAIN ELEVATOR. 300ft., t.

By P. Wehner, Durban.

Documentary description of a S. African grain elevator.

This shows the same virtues as the producer's National Park picture—an evident concern for his subject, and a great deal of work in presenting the subject as a film. Unfortunately, it has the same serious fault—somewhat pedestrian treatment.

The description of the technical side of the thing is full and careful. It is also rather dull. Presumably the producer wanted to interest general audiences in something often seen but not so often understood. In that case, he should try hard to put the description across with greater urgency (and, possibly, humour).

Endless pans and tilts, with the voice of the commentator going on and on, have a mesmeric effect; ultimately, they might send the spectator to sleep!

The effects recordings are too muffled to convey any really life-like quality. The commentary is too full and, towards the end, commits the sin of talking about one thing while the visuals show unrelated scenes. The producer should have avoided mentioning that, while the loading is fast, nevertheless the complete stowing of a grain cargo takes three days, "because of unavoidable delays". What are these delays? We are not told.

There is a complete lack of human interest. Couldn't we have glimpsed the personalities of some of the people who run the elevator? The music is most inappropriate. What is the relevance of Tchaikovsky to this subject?

The animated colour sequence is excellently done. Had this material been mixed-in with the rest, the film might have been much improved. Clearly, the producer knows a lot about film making—but he pays too little attention to the total effectiveness of what he does (and he should trade in his tricky "dissolve" equipment, or use it much less often!).

THE LETTER. 80ft., c, t.

By A. C. J. Manley, London, N.W.8.

A young man writes to his girl—"all is over!". He has difficulty in finding a post-box, and meets the girl, coming to him, before his letter is posted. There is a joyful reconciliation, and the letter is torn up and given to the bounding leader of a paper chase, as fresh material for laying a trail.

3 SPY R² (Three Spies Are Squared). 150ft.

By Foxy Films, London, S.W.19.

A fantastic spy story, involving secret agents, scientists and the Unorainian Embassy.

There is plenty of bizarre fun in this zestful comedy, and it did make us laugh! But it needs a little more polish. Then it might have been very successful indeed.

The continuity is very shaky at several points, e.g., the swimmer appears to change direction suddenly in adjacent shots, and the lab. scene is anything but smooth. But there are some nice ideas—we liked the shot of the three spies, taken from behind, shaking their heads at the Customs officer.

It is clear that the producers went to a great deal of trouble to secure suitable locales, which are effectively used. Greater crispness

Where To See the 1959 Ten Best

Fleetwood. 18th Apr., 7.45 p.m. Presented by Fleetwood P.S. Cine Section at North Euston Hotel, Fleetwood. Tickets 2s. from Hugh V. Martin, 2 Gregory Avenue, Bisham, Blackpool.

West Bromwich. 19th Apr., 7.30 p.m. Presented by West Bromwich C.S. at Churchfields School, West Bromwich. Tickets 2s. from W. Liddington, 3 Clifton Road, Stone Cross, West Bromwich.

Beckenham. 21st Apr., 7.45 p.m. Presented by Beckenham F.S. at Central Library, Beckenham Road, Beckenham, Kent. Tickets 3s. 6d. from Norman Royce, 78 Kenwood Drive, Beckenham.

Stockport. 27th Apr., 8 p.m. Presented by Stockport A.C.S. at Stockport. Tickets 2s. 6d. from D. D. Tommis, Lincroft, Kings Close, Bramhall, Cheshire.

Watford. 27th Apr., 8 p.m. Presented by Watford C.S. at Town Hall, Watford. Tickets 3s. from K. Cottrell, 9 Windmill Way, Tring.

Glasgow. 30th Apr., 7.30 p.m. Presented by Glasgow C.C. at Cosmos Cinema, Rose Street, Glasgow. Tickets 2s. 6d. from T. Dryden, 267 Crow Road, Glasgow, W.1.

of treatment would have made some of the gags funnier—the 'phone gag, for example, is taken far too slowly, and we stop giggling long before the scene is over. Had the shooting and editing been tidier, and the film a little shorter, it might have secured a far higher commendation. As it is, it impresses by its pace and inventiveness.

WELCOME TO WALES. 180ft., c.

By C. M. Sturdy, Manchester.

Rhyl and Llandudno—a holiday film.

WISHES TO MEET. 125ft., c.

By David Pollard, London, W.6.

Young widow advises for a husband. Prospective suitor turns up, and turns out to have an extraordinary appetite. He eats the tea provided, everything she can find in the larder, then, when only one half-biscuit is left, he gobbles up Aunt Harriet who has called unexpectedly.

Here is a good idea for a fantastic comedy, but it has been let down somewhat in a number of ways: There are three distinct levels of acting: the young widow plays very pleasantly indeed (we found it hard to believe that such an attractive person would have to advertise for a second husband!); the prospective suitor is competent; Aunt Harriet is a badly made-up stock figure from amateur farce.

The film is too slow; take, for instance, the letter-writing, which seems to go on almost interminably. We would like much greater slickness here. The man's journey to the widow's house is also much too protracted. There is some clumsy editing—the jump-cuts at the 'bus stop provide one glaring example of lack of smoothness.

The final sequence lacks punch. There should have been more sense of the monstrous here—more preparation for the final, awesome revelation that Aunt Harriet has vanished along with all the edibles.

The colour is good. One wishes that a little more had been made of this promising idea, and that the treatment had been smoother and slicker.

Club Presentations

Cine clubs in the United Kingdom will be able to present their own show of the Ten Best from June 12, 1961. Booking opens on May 1. Applications should be made, not to ACW, but to the British Film Institute Booking Dept., 81 Dean Street, London, W.1. Early application is strongly advised, for the most popular dates will almost certainly have been booked during the first week of May.

Applicants are asked to give alternative dates where possible, and to state the seating capacity of the hall in which the films will be shown. In the event of more than four clubs wanting the programmes for the same or near dates, those booking the largest halls will be given preference. Hire fee: £3 13s. 6d. per evening. Nine attractive posters in colour are provided free of charge; additional posters available at 9d. each. Special terms for printed programmes.

CORRESPONDENCE

Letters for publication are welcome. Address: ACW, 46 Chancery Lane, London, WC2

Perforation Pitch and Steadiness

I READ with interest Ivan Watson's search for perfection. The story below may qualify his insistence on the method of using frame line measurement as a means of checking the registration of the film in the camera gate. It also, I think, might amplify a statement which he makes elsewhere, the significance of which is inclined to be lost: "I got steadier pictures . . . despite the fact that the claw-to-gate separation of the camera did not match that of the projector."

I had been filming with a Bolex H16T camera, and was disappointed to find that one of the films taken gave a very unsteady picture with my Ampro projector. Certainly the gap between frames (frame line thickness) was "all over the place".

I took the film to my dealer who was kind enough to project it with G. B.-Bell & Howell equipment. To my surprise, the picture was reasonably steady, although the thickness of the gap between frames varied cyclically from some positive amount to an overlapping of one frame with the next. The dealer thought my projector must be at fault, and so I proceeded to examine my own projector once more, not quite understanding why it should choose to be faulty with this film alone.

I noticed, on deframing the picture to study the gap variations, that the picture above that normally projected (on the screen) was rock-steady—its steadiness in fact was superbly good.

The truth of the situation then dawned on me: there was a cyclic variation in the pitch of the sprocket perforations on the Kodachrome film stock I was using. Certainly I had never realised that a steady picture could be obtained, despite such variations, if the frame projected is the same distance from the intermittent claw in the projector as the frame photographed is from the claw in the camera. I think this matter cannot be generally realised and that it might therefore be of interest to readers.

The diagram gives an explanation which I trust is fairly self-explanatory. A shows the frame spacing as recorded by the camera on film stock in which the sprocket perforations are alternately too close and too far apart. B shows the result of projecting the film in a projector in which the projected frame is the same distance from the engaging

claw as in the camera. C shows the result of projecting the frame above that considered in B.

In general, frame 2 is registered in the camera in relation to sprocket perforation 2 by the fixed distance in the camera between the gate aperture and the point at which the claw is withdrawn. If, in the projector, frame 2 is not registered by sprocket perforation 2 but by perforation 1, then frame 2 will be out of registration in relation to the projector gate aperture by the error in pitch between perforations 1 and 2, and so on. Chalfont St. Peter

GEORGE STURROCK

16mm. for Cheapness!

THERE IS NO DOUBT in my mind that 16mm. is not only the best gauge; it is also the cheapest! I have recently bought a Bolex H16 in excellent condition for £82 and have found a source of supply of ex-Govt. b & w negative stock. 100ft. daylight loading spools of Plus-X cost 17s. 6d. and 50ft. rolls of 29 deg. and 37 deg. Sch. stock 9s. 6d. each.


I prefer negative for several reasons.



Quality is better, editing is easier on a cutting print than on a reversal original and, of course, it is easier to produce copies from a negative. I get my stock developed by a London lab. for 12s. per 100ft. Now I am working on a method of producing my own projection prints but am having difficulty in getting hold of 16mm. positive stock.

I was also able to procure an ex-Air Ministry Ensign Universal splicer for 15s. and spent another 5s. getting it into tip-top condition. For £5 I bought an absolutely brand-new Weston III cine exposure meter from a friend. I think this must be my lucky year!

At the moment I am building a good, solid animation "rostrum" which, when finished, will, I hope, be quite versatile.



The table will have a piece of 12in. x 10in. opal glass inset in the centre and lit from below by a cluster of pearl bulbs. This will be invaluable for making silhouette cartoons. There will also be conventional top lighting and provision for tracking in the camera. I hope to buy an ex-Govt. Specto camera recorder for permanent installation on this.

I trust that I have not given the impression that I am a do-it-yourself gadget fan. If I had enough money I would buy all my equipment new, and although I am an ex-stills photographer I believe that the biggest mistake an amateur film maker can make is to treat our hobby as just another branch of photography. Film construction and acting are just as important. Why don't more amateur film makers work in co-operation with their local amateur dramatic society, as I intend to do?

Best of luck to ACW in its new weekly form. Here is one subscriber who reckons the extra 3s. per month a positive investment!

Burnham

ROY BAILEY

In terms of cost per minute of screen time, 16mm. neg.-pos.—even at "surplus" prices—can hardly be as cheap as 8mm. reversal, but it is certainly inexpensive. Unfortunately stocks of 50ft. and particularly 100ft. lengths of ex-Govt. 16mm. of recent manufacture are far too low for every 16mm. user to take advantage of these bargain prices. And very little 16mm. positive stock is available on the surplus market, for the film printing labs. are almost the only users of it. One can buy positive stock in "amateur packs", but at a price which makes it not worth the while of the amateur to compete with a trade laboratory which gets the same stock in bulk lengths, at trade prices, and without having to pay Purchase Tax on it.

Projector Gadgets a Snare?

I WONDER if some of the gadgets which most new projectors are loaded with are really any advantage to the man who wishes only to show films to entertain an audience. They appear to turn the home movie into a toy to play with while the film is being shown. Trick photography has its place, but it should be done when the film is being made and edited. The cost of a viewer and of the few accessories needed to make an editing bench is so low that to include editing facilities in the projector is a waste of money.

16mm. seems to give a slightly better picture than 9.5mm. when new (all other things being equal), but in my experience 9.5mm., because of its lighter weight and balanced claw action as opposed to the one-sided pull on the 16mm. projector, maintains its steadiness much better and has incredibly long life. Some of my 9.5mm. films are a quarter of a century old and are still in excellent condition. I think that the sprung claw with which most 8mm. cameras in the lower price range are fitted, plus the

relatively heavy double-run film which it has to move (again with a one-sided pull) is responsible for much of the poor definition in 8mm.

The nine-fiver may be interested in the following little cautionary tale. An 8mm. enthusiast was seen leaving during the interval in a programme of 16mm. and 9.5mm. films. He explained that after the excellent first half, the 9.5mm. films would come as an anti-climax. As I gently led him back to his seat I pointed out that the first half was the 9.5mm. part of the programme. Like so many who condemn this gauge, he had never before seen a 9.5mm. film shown.

Bournville

J. HARRIS

Condensation on Lens

I HAVE had the same trouble as A.J.D., of Richmond, York—temporary loss of picture on my Portay viewer, and have found that the condensation causing it is on the mirror fixed in the lens carrier. The latter is made to be readily detachable, so when condensation appears it is only a moment's task to remove the carrier and wipe the mirror with a lens tissue or soft cloth.

Birmingham, 32

F. J. LOFLEY

THE CONDENSATION appears to be caused by the close proximity of the lamp to the enclosed mirror. Its heat on the air in the enclosure drives the moisture on to the mirror which takes longer to heat up; when it is hot, the condensation clears.

I have remedied the trouble after fitting a thin brass foil heat shield round the lamp between it and the mirror case. This prevents excess heat raising the temperature of the enclosed air space in front of the mirror, except at such a speed that the mirror similarly warms up and there is no deposit of moisture.

Havant

J. L. L. PILKINGTON

Kick from an Old Hand

FROM Mr. Johnson's statement that he never expected to see the name Mortensen in the pages of our mag, one would think that none of us had ever studied photography. As for his contention that the only people who worry about grain are 35mm. still workers and producers of those "nasty little boot-lace films," *This Park is Beautiful* and other 8mm. winners have shown what can be done, and 35mm. is, of course, used by leading professional photographers everywhere.

With reference to the tip about buying an Invercone for a Weston, does Mr. J. think we would use our Westons frequently without having purchased one? No, Mr. Johnson, we didn't all start this hobby yesterday.

Apropos good films, no one seems to have mentioned my favourite of 1960, *Jazz on a Summer's Day*, which surely

shows that a film doesn't have to be shot according to the book. The producer must have liked people a lot, because he made us like them, too, by catching them off guard in very endearing reaction shots. The "end" title comes all too soon.

New Barnet

PETER NOBES

In Memoriam

AMATEUR CINEMATOGRAPHY marches on. New cine clubs appear every week. Each year the Ten Best entry grows larger as more and more people discover the satisfaction and enjoyment of producing films. Top amateur productions are being shown on TV to audiences of millions, and the future shines with promise as non-professional films become more highly regarded by the public and film industry alike.

That's what you think! In fact, we're as dead as the dodo and our activities are as fashionable as fretwork. It just is not done to have movie-making as your hobby! If you want to be really "with it" you just use your cameras as an adjunct to another hobby, like motor rallies or sailing.

The source of this information? An article in the current number of *Photographic*, which points out that, although as an adjunct to other hobbies, "amateur films have never been more alive," amateur films as a hobby in themselves are a thing of the past—dead as the dodo, in fact. Ah, well, it was nice while it lasted.

Leigh-on-Sea

PETER PEARSE

No News Not Good News

I AM AMAZED by the very small number of cine club secretaries who consider it worthwhile reporting their activities in News from the Clubs. A beginner such as myself who wants to join a local club looks first in this feature, but Birmingham and district is conspicuous by its absence from it. Maybe the Birmingham clubs don't want new members, but if they do why don't they make it easy for one to find them?

Birmingham 32

F. J. LOFLEY

Not being able to answer these questions, we have sent our correspondent a list of ten clubs within reasonable distance of his home.

Invitation

READERS who may think that a magnetic sound head on the projector makes lip sync easy should try it sometime!

Horley

R. PETERS

In Maker's Carton, Never Used

WHAT is one to make of the advertisement I saw recently which began: "A new camera for Easter? A selection from our second-hand dept. . . ."? Seems like their script needs a re-write!

Hamworthy

L. J. CLUETT

Making a Start

BY H. A. POSTLETHWAITE

Colour or Black and White?

COLOUR HAS obvious advantages; it makes happy scenes look happier, glamorises even commonplace localities, and gives to the home cine show something the TV programme hasn't got. For family and holiday scenes it excels, and for straightforward filming of that kind, it is as easy to use as monochrome film.

And yet . . . Have you ever cast your mind back to a really superb production seen at a cinema three or four years ago—one that gripped and fascinated—but found yourself unable to remember whether it was in colour or plain black-and-white? And when you see a first-rate documentary, or a really interesting play, on television, are you really conscious that it is in monochrome?

Colour Can Distract

In fact, some subjects are *better* treated in black-and-white; and when the interest is in the theme rather than in the setting, brilliant colour may be a distraction, and incongruous colour can spoil the effect. For example, a splash of red always attracts the eye, so that a child wearing a red coat in the background of a scene may pull the attention away from the foreground action, which is what you were really filming.

Although Kodak no longer market black-and-white film in the 8mm, gauge, they do sell it in 16mm.; Gevaert sell black-and-white film, of three speeds, in both 8mm. and 16mm. It is cheaper than colour. A 50ft. spool of Kodak 16mm. b. & w. costs £1 17s. 7d. against £2 2s. 9d. for colour. A 25ft. spool of Gevaert 8mm. b. & w. double-run costs £1 1s. 5d., against £1 7s. 8d. for Kodachrome or Agfacolor.

Black-and-white film is faster, so you can use it when the light is not bright enough for colour film; and even when the light is reasonably good you can use a smaller aperture, thus getting greater depth of field, or film in slow motion at times when you could not open up the lens sufficiently with colour.

Black-and-white film, except the extremely fast varieties, renders detail more clearly than colour film. This is of particular advantage in 8mm., which may be enlarged on projection to so great a degree that definition suffers, particularly in distant scenes. A b. & w. film also has greater latitude, which means that any exposure errors will not detract from

the quality to so great an extent. In scenes where there is a very wide range of contrasts (brilliant sunshine and deep shadows) there will inevitably be both over-exposure and under-exposure of parts of the scene. With colour film the highlights are liable to be burnt out and/or the shadows clogged, but monochrome film may render both satisfactorily; even if it doesn't, the defects will not be so apparent.

With monochrome, contrasts of light and shade take the place of colour contrasts, and brilliant effects can be obtained by careful choice of lighting. Scenes taken against the light (i.e., with the camera pointing in the direction of the light source) can make a special impact when, for instance, figures appear in silhouette or semi-silhouette. It is possible to get the same effect in colour, but it is more tricky. Needless to say, it is essential when filming such scenes to make sure the camera lens is adequately shielded from direct light.

Artificial Light

A valuable feature of black-and-white film—and one that may be the deciding factor in choosing it on a particular occasion in preference to colour—is that it is equally suitable for use in daylight and artificial light. Colour film designed for artificial light can be used in daylight with a suitable filter (Wratten 85), and daylight film can be used in artificial light with a Wratten 85B filter, but this requires so great an increase in exposure that it is seldom employed. No colour film can be used satisfactorily for a scene lit partly by daylight and partly by artificial light. With artificial-light film in the camera the part of the picture which received most daylight would have a blue tint; conversely, if daylight film were used for a scene with mixed lighting, the parts where artificial light predominated would seem too orange.

With black-and-white film there is no such difficulty; tones are not affected, and though the emulsion is slightly less sensitive to artificial light than to daylight, this presents no difficulty in practice. So for winter filming, and for filming a subject which includes both indoor and outdoor scenes, monochrome film is decidedly easier to use.

The term artificial light in relation to colour film means photoflood light; ordinary half-watt (i.e., domestic) light-



ing won't do. But with black-and-white any kind of artificial lighting is suitable, so long as it is bright enough.

A minor advantage of b. & w. film is that if two or more spools are to be intercut or joined together for projection, you are more likely to get uniformity of tone, and the problem of maintaining colour continuity does not arise. With colour film it is not unusual for one spool to be returned from processing with a blueish cast and another with an overall tinge of pink or yellow. This is not necessarily the fault of the processing station, for the quality of daylight varies and differences of colour temperature (roughly speaking, the amount of redness or blueness) are not easily detected by the eye. At the seaside when the sky is blue, any scene filmed in the middle hours of the day is liable to appear too blue when projected at the same time as scenes shot elsewhere. Towards sunset the light will have changed so that a film made late in the day will appear, in comparison, to be yellowish or tinged with red.


Correction Filter

It is possible to obtain filters to compensate for changes in the quality of the light, differences being assessed by means of an exposure meter which measures the colour temperature as well as light intensity. But most amateurs are content to use a haze filter when the scene is liable to appear too blue (following instructions given with the film) and blame the processing station for other aberrations!

With monochrome film it does sometimes happen that a length of film comes back from processing with a brownish tone whereas other lengths are black, but this is exceptional.

However, despite the advantages of monochrome, it must be agreed that for straightforward holiday and family scenes colour scores every time. And for such filming it is as easy to use as black-and-white.

(Next week: OVER-EXPOSURE AND UNDER-EXPOSURE.)



CANON REFLEX ZOOM 8

A FOCUSING ZOOM lens, semi-automatic exposure control, reflex viewfinding with a split-image rangefinder incorporated: such attractive features are combined with good workmanship and a sound basic design in this double-8mm. camera from Japan.

The body and mechanism of the Reflex Zoom 8 are fundamentally (and in many details) the same as in earlier Canons, including the twin-turret 8-T reviewed in *ACW* for February, 1958. The main changes are, first, an alteration of the front plate to receive the zoom lens in place of the turret; second, removal of the top cover which housed the parallax-compensating gear (not required with a reflex viewfinder) and its replacement by a slightly thinner but longer cover containing the exposure meter. The result of these modifications is, perhaps, a somewhat ungainly shape and a tendency to be front-heavy (Fig. 1)—though by no means to the extent of making this an awkward camera to use.

The camera is in a two-tone grey and weighs 2½lb. Overall dimensions are: height, 5¼in., width, 2¼in., length, 8in.

Mechanism.—A neat ratchet-type key winds the motor, which runs for about 7½ft. (37 secs.). While filming, a click is heard every 50 frames (3 secs. at normal speed), and a warning gong sounds 3 secs. before the motor cuts out. The speed setting dial is marked at 8, 12, 16, 24, 32, 48 and 64 frames per sec. and can be set intermediately. True speeds and marked speeds are in commendably close agreement and speed constancy is very good.

Operation is by a small lever just beside the lens mount, or by cable release. A separate lever selects normal or single-frame operation and there is a milled disc to lock the mechanism either on for continuous running or off. The footage indicator, geared to the mechanism, is a circular scale seen through a window

at the rear of the camera. It automatically resets to zero when the camera door is opened but the reset can be made inoperative by pressing, first, a small button alongside the indicator window (Fig. 2).

The hinged door has an excellent positive latch. The camera interior (Fig. 3) is not unlike the original Sportster, with a neat hinged gate incorporating entry rollers and an internal leaf spring. Mounted on the camera door are light leaf springs, to prevent lateral float of the film, and a cam that closes the gate as the door is shut. There is no idler below the gate.

Although the pressure plate cannot be removed, access for cleaning is reasonable. The film path is simple and clearly marked, and the interior is finished matt black. Light trapping is good, the trapping groove being lined with black latex foam.

The claw is sprung, riding on the film during the return stroke. The rotary shutter has an opening of about 165°, giving an exposure time of 1/35 sec. per frame at 16 frames per sec., and pro rata at other speeds. Single-frame exposure is about 1/25 sec. The claw engages the perforation one full frame below the gate aperture (i.e., separation “+1”).

The flat part of the camera base measures a little over 1½ × 2in., and is fitted with a ¼in. Whit. bush for tripod, sling, or pistol-grip screw: it has also a central milled slot about ¼in. wide by ¼in. deep into which accessories locate.

Viewfinder/Rangefinder.—This, a new Canon feature, operates on the principle of collecting a small part of the light from the subject by means of a partially reflecting prism in front of the lens iris (Fig. 4). The amount of light piped off into the finder system is around 12½%, a loss equal to about a quarter of a stop in exposure level. Taking it from in front

Fig. 1. The front ring of the zoom lens is for focusing, the rear for setting focal length. Above the lens is the lenticular window of the photo-electric exposure meter.

ACW TEST REPORTS

Fig. 2. To the right of the hinge is the footage indicator. The small knob in the curved slot behind the lens adjusts aperture, at the same time rotating the scale of the exposure meter.



of the iris has the great advantage that the viewfinder image is bright whatever stop is being used—a consequent but very minor disadvantage is that if one is filming in error at a grossly incorrect stop there is no specific warning.

The arrangement of prisms in the rangefinder section is such that a focal point equivalent to the film gate is incorporated, and the image viewed is divided into two halves, horizontally. The lens is correctly focused when, through moving the focusing ring, the two halves of the split image are brought into line. In short, this viewfinder design permits critical focusing, shows a bright image under all conditions and at any focal-length setting of the zoom lens, and is entirely free from parallax error. The eye-piece is adjustable to suit individual eyesight.

Exposure Meter.—The lenticular window of the cell is above the camera lens, and its acceptance angle is broadly equivalent to that of the lens when zoomed to the widest angle (10mm.) end of the range. The meter pointer is seen through a window in the top cover of the camera (Fig. 5), and the pointer position is picked up, via guide-lines, by a red arrow on a circular scale which is rotated by the lens iris lever.

The red arrow is first pre-set according to the film emulsion speed (ASA or DIN) and the taking speed (frames per sec.). This takes only a moment, and when it has been done, operation is simple: the camera is aimed at the subject, just as one aims a separate exposure meter, the lens iris lever is moved till the rotating scale brings the red arrow into line

with the exposure meter pointer, and the lens aperture is then correctly set. On the circular scale, all filming speeds can be set; the emulsion speed range is 10 to 160 ASA (11 to 23 DIN); and the effect of using an $\times 2$, $\times 4$, or $\times 8$ filter is shown. There is also a zero mark for the pointer and a calibrating screw to provide zero adjustment if necessary.

Supplied with the camera is a plastic cover, containing two small slots, which fits snugly in front of the lenticular window of the cell. In this position it protects the p.e.c. from unnecessary exposure to light, but this is not its only function: the slots act as a baffle which reduces the cell sensitivity some 16 times, enabling the exposure control to be used with emulsions faster than 160 ASA.

Zoom Lens.—This $f/1.4$ focusing lens, with a zoom range of 10-40mm., comprises 13 elements, excluding those in the viewfinder. All are hard-coated, and the mountings are of aluminium with external surfaces anodised black: engravings are filled-in white except for the metre scale, which is orange. The external diameter of the front mount is just under 2in.; it is screwed internally to receive the Canon close-up lens and filters, which have 48mm. dia. threads.

Focusing, done by rotating the front ring, ranges from 5ft. to infinity.

Focal-length setting is by rotating the




Fig. 4. About one-eighth of the light entering the lens is diverted from the film into the reflex viewfinder/rangefinder system.

second ring; there are calibrations at the two extremes, 10 and 40mm., and also at 13 and 25mm. The same ring is turned when zoom effects are required.

Aperture setting is by a small knob on a third ring, which has equally spaced divisions at one-stop intervals from $f/1.4$ to $f/22$. The aperture ring is coupled to the exposure meter by a helical cam-and-lever system.

The instruction book is of exceptional clarity and contains some brief but sound general advice, though now and again this is quaintly phrased.

Operation.—The camera loads easily and handles comfortably. The exposure-meter arrangement is a matter of taste, certainly slightly faster in use than a separate meter, but slower than one in which the coupling is done by following a pointer in the finder window.

The instructions wisely advise using the meter with the same technique as if it were a separate meter. For example, pointing slightly down so as not to include excess sky, taking lightest and darkest readings and averaging,

and noting that the extremes of brightness should be within 4:1 (e.g., two stops). Setting the meter for different emulsion speeds and filming speeds is rapid, but matching the lens iris arrow to the meter needle calls for a little practice: they are not lined up radially as one would expect (except when the pointer is

central, as in Fig. 5), but along the thick wedge-shaped guide lines which apparently compensate for greater sensitivity around scale centre. We found the meter in good general agreement with our standard exposure meter.

The reflex viewfinder, bright at all apertures, is a transcending attraction. One sees what the film is seeing—all the time. If the lens cap is on, one sees nothing. Filters, effects boxes, supplementary lenses: they cannot be forgotten. The split-image focusing is fast except where the subject lacks a distinct vertical, but in such cases, which are not common, an upright stick or something similar can often be added temporarily to the scene. The fact that focusing is done at the 40mm. focal-length condition emphasises the greater importance of accurate focus where the depth of field is least.

The finder eyepiece is rather large, so that by moving the eye one can slightly alter the subject area seen. Care must also be taken not to let strong light shine on to the eyepiece while filming, as it might slightly fog the shot by travelling in the reverse direction through the finder optics on to the film.

The 10 to 40mm. zoom lens gives the facility of a multi-lens turret: one can frame the subject and compose with great accuracy. One can also zoom, of course, but for the sake of the audience not too often, as the instructions sensibly point out.

The camera held speed satisfactorily, and the warning gong before the spring ran down was useful.

Results.—As we found in the earlier Canon, film steadiness was in the top class for sprocket-less cameras, both throughout the full range of filming speeds and in a lengthy shot taken frame-by-frame. The mechanism got off the mark very well; at 16 f.p.s. first frames could hardly be discerned and even at 64 f.p.s. only two frames were lighter than the rest. A superimposed title showed complete absence of lateral float and, incidentally, exhibited no noticeable vertical float. A good black frame line separated successive frames; in the new Canon, unlike earlier models, it is centrally placed to bisect the sprocket holes.

Lens performance was impressive. There seemed to be no quality change throughout the focal-length range—and this was so at all apertures. Exteriors in colour at $f/1.4$, shot

Continued on page 508




Fig. 3. A clearly marked film path and a gate that opens enough to make threading easy. Attached to the door catch (right) are lightly sprung edge guides for the film, and a cam to close the gate.



Fig. 5. The exposure meter; here, the arrow on the circular scale has been correctly aligned with the pointer (visible in the rectangular slot) by adjusting the aperture setting. The dials are seen pre-set for 10 ASA film at 16 f.p.s.

Small Budgets

BY TRADER

A London dealer reports on the secondhand and part - exchange market

THE BIG SURPRISE of the week was the offer of a Canon Zoom 8, which looked as though it had never been used—it was in its original packing. I had very little hope of being able to make our offer sufficiently attractive. The owner said he had acquired it in settlement of a debt. Our offer of £55, which was very slightly on the generous side, being refused, we suggested he tried other dealers in the district, and if he got no joy from them, that he should advertise in *ACW*, when he should get at least £70 of his money back.

A cheering sight was a Bolex B8, offered in part exchange for an H8. Of the non-variable shutter type, with standard f/2.5 fixed-focus lens, it showed slight traces of corrosion (on the screw heads on the front panel), and the lens was rather grubby. Had it been in perfect order we should have offered £24 for it, but we figured that overhauling it would cost £2, so our figure was £22.

Why, some customers ask, should they be expected to pay for repairs on an article they no longer own? Surely the cost of repair should be added to the selling price? But would you pay £20 for a camera you could get elsewhere for £18?

The 8mm. Kodak Brownie-Turret can't be classed as a top quality camera, but it produces good results, and we felt that a second hand model we were offered would soon find a new home. We started the bidding at £14 and closed the deal at £16. When the camera has been cleaned and checked, we shall hope to re-sell it at about £25. Rather surprisingly, our offer of £20 cash for a Bolex C8, with the French Lytar lens, in perfect condition and complete with compartment case and parallax prisms, was accepted without demur. We shall put this in at £32, at first, and wait and see what happens.

An Admirals 811a with f/2.8 standard lens and 35mm. telephoto was sent us by post for valuation in an exchange deal. We haven't had a chance to look it over thoroughly, but I imagine that our offer will be about £18 if it is in first class order.

The turnover of 16mm. apparatus is not, of course, on the same scale as that of 8mm., but some interesting items were brought in last week. As far as condition is concerned, the most outstanding was a Cine-Kodak Royal camera, which looked for all the world as though it had been bought yesterday. The owner was

keen on buying a fully automatic 16mm. magazine model. The Royal when new used to sell at over £70, but it was withdrawn from the Kodak range last year, and since then its value has taken a hard knock. We count ourselves as fortunate if we can re-sell at more than £40, so the buying-in price can rarely exceed £28.

We were pleased to see another Kodak model K, though it was only last week that we took one into stock. The model offered this time, however, was not in such good condition—the mechanism was running sluggishly—and there was not so much at stake in the exchange. Our offer was £20. We are not keen on taking too many of the same kind of model into stock. For one thing, it suggests that there may be something wrong with them, and if we tie up capital in duplicate models, the customer's choice is limited; but we felt the K sufficiently popular to justify the further expenditure.

In an exchange deal we were offered an American Bell & Howell 16mm. 200TA Automaster camera with f/1.9 focusing lens. It was never produced in Britain, and at one time its price new, with one lens, was over £150. This one was offered in exchange for a new 16mm. Bolex outfit, but we didn't think it would sell for more than £100, so we offered £60, this price to include two

additional positive finders. The owner also had a wide-angle and a telephoto lens, but as they were standard C mount, he wished to hang on to them.

He thought £60 too little and asked us what we would offer for the camera complete with three lenses, but we pointed out that the extra we could give would be far less proportionately than the difference in price between a new camera with three lenses and the same camera with one. He accepted the £60.

The Kodascope 8-500 we bought in at the beginning of February was put into stock last week, and was sold within two days, leaving us with barely half-a-dozen 8mm. used machines to offer. These include two acquired last week. One was a Eumig P8M, taken in part-exchange for an Imperial. It was in spotless condition and clearly had been well looked after. We offered £20, but the owner was not satisfied. "Call it £22 and it's a deal!" But if we added our usual profit margin to this figure, we would have to offer it at only a pound or two under the retail price of a new machine. It was quite evident that if we were not prepared to take a small profit there would be no deal, so we bid a further pound, and at £21 the deal went through.

The other machine was a Specto 500, which had taken a lot of punishment. The lamphouse was scratched and the motor switch was faulty—and we had yet to try it out. What had the customer in mind to buy? A Noris Synchroner? Yes, a worthwhile machine, but we were dubious about his Specto.

"That's all right, old boy", he said cheerily. "I know it's had a bashing. What'll you give for it?" We checked it over very thoroughly, and soon discovered that the repair bill would be a heavy one. "It would cost us about £6 to put this machine into saleable condition", we told him, and offered £10 for it.

He was an engagingly forthright customer. "What d'you expect to sell it at?" he asked. I replied that the average selling price of this projector was £24. "Twenty-four quid? Tell you what, old boy. Repair it for me for six quid, I'll sell it privately for £24, and then I'll come back and see you about the Noris". It was a nice idea, but it would cost us £6 to put it into shape. If he left it with us for repair, he would have to pay about £10 for the work.


Few people seem to realise that we have to make a profit on repairs as well as on sales. Also, in selling at £24 we would give a guarantee, and this has to be provided for in the selling price. He would not be able to sell privately at £24, for a private buyer naturally expects to pay less than he would to a dealer. The deal was clinched at the £10 originally quoted.

JUST IN

Our first glimpse of the new Kodak Brownie 8 movie camera was when the Kodak representative called a week or so back with a sample to show us. I couldn't do anything about it then, but the news of its arrival has now been released, and I've no doubt the camera will soon be seen in almost every dealer's. It is of such simple design that there is little one can say about it, but at its remarkably low price of £12 7s I do not see how it can fail to be a winner. It is smart, attractively finished and very light, and operating it is just a matter of winding it up, setting the lens and pressing the button.

One point, however, is worthy of note. The socket on top of the body (covered by a screw-in cap) is designed to accept an indoor lighting unit. Have Kodak set a precedent, and will other manufacturers follow suit? I should like to see them do so.

The effect of the Brownie 8 on the prices of the cheaper secondhand cameras is difficult to forecast, but pre-war Kodak models will suffer, as no doubt will the Brownie I and II.—TRADER



8mm. Prizewinners Get a Rocket

No doubt a critic shouldn't have any regard for anyone's feelings—not even family feeling, which is involved here, for the films discussed are our sister magazine's Top Eight. As head of the family we rally to its support on p. 487, but meanwhile . . .

JACK SMITH has his say

EXCITEMENT over this first "large-screen" arc-projection of 8mm. films at the National Film Theatre is one thing; the actual quality of the films is another—and far more important. I don't intend to discuss the technicalities of the presentation. I'll only say that it was with a feeling of great relief that I watched the final picture (the outright winner), which was projected from a 16mm. blow-up.

It's only fair to point out that I was present for the very first public performance, when maybe teething troubles were still apparent, but I found the screen and sound quality of the 8mm. projection rather poor. However, possibly it pleased those 8mm. fanatics who are trying to prove that 16mm. is on its way out. They got a great big picture, and could work out incredible multiplication sums to show how enormous was the magnification.

What of the films themselves? If the manner of presentation would seem to me at least unlikely to "break down the barrier between 8mm. and the ordinary filmgoer", were the pictures we saw any

compensation? On the whole, I fear not. No doubt a lot of people will say that they enjoyed it all thoroughly, but they will be the addicts who care more for narrow gauge virtuosity than for the real stuff of cinema. Such people are inclined to observe content only after they've registered delight at exposure, smooth camerawork and a neat little bit of superimposition. This can be the only explanation of some of the audience reaction the time I was in the theatre.

The Lady Beautiful was a minor tragedy. In its 16mm. version (shot separately) this piece has real quality, with lovely black-and-white photography and some genuine moments of spine-tickling macabre. A young man nearly comes to grief in his sports car when a black cat appears on the road in front. Suddenly, there's no cat—but a lovely young girl has appeared.

They bathe together, then make love. But the girl vanishes as mysteriously as she appeared, leaving only the paw-prints of a cat in the sand. The young man drives off furiously to find her. When he rounds a bend and sees her in

Impressive climactic shot from "Count Down", major prizewinner in AMM's Top Eight competition. "This is a film that would be worth talking about even if it had never been shown on a screen bigger than a pocket handkerchief".

the centre of the road, he skids and smashes his car, killing himself. A black cat springs out from the wreckage and across the fields out of sight. . . .

In the 8mm. version, this variant on the theme of *La Belle Dame Sans Merci* has little atmosphere and no excitement. The cutting and the acting seem crude compared with the excellence of the broader gauge version. People tittered rather than held on to their seats. I gather that Bristol Cine Club were not responsible for the music which accompanied the screening. I suggest that they bring an action against whoever was. Not only was it totally unsuitable (jolly passages from the ballet), it was dubbed atrociously.

The Lady Beautiful got its prize for photography. I can't think why. The visuals were no better than anyone else's.

It's easy to guess why *Penny Wise* got its prize for "the best use of sound". Presumably it was just about the only film entered which attempted synchronous effects. A pity that the producer didn't get himself a script-writer. A weak joke was dragged to death while a lugubrious trumpet brayed out from the screen, always just a fraction out of sync. The titles were lovely (the chief actor mouthing a carefully synchronised greeting to the audience), but the invention flagged the moment the film proper began.

Request for Four was a little bit more encouraging. While a pianist broadcast a Chopin nocturne, we watched the struggles which four people had to enjoy the music in the face of raucous children, a flippant wife, noisy household chores and the antics of a hi-fi fiend, respectively. A nice idea, and some of it came off.

The listener who contemplated murder as his companion fiddled with treble boost and bass lift gave the best acting performance of the day, perfectly cast and sensitively directed. The moment when he merely glanced at a dagger hanging on the wall suggested more pent-up fury than did all the broadly displayed antics of his other colleagues in the film.

Sadly, the picture outstayed its welcome, degenerating into silliness when the kids started beating drums in front of their infuriated father. This sort of thing requires realistic observation and a neat sketching-in of all the characters. It didn't get these here.

The Glorious Memory was a somewhat jerky Irish documentary with the feverish pace of *The Street* and the same

lack of any close observation of people. Perhaps it got its editing prize because it contained more shots to the foot than any of the others? I couldn't hear the commentator's voice very clearly, and the memory it left me with was hardly glorious.

The Key got the acting prize (*Request for Four* was given a prize for its script). This confused melodrama provided the almost perfect example of what the amateur film should not be like. Some weird angles and a lot of trick effects at the climax do not compensate for a complete lack of story interest.

Penny Pencil was much pleasanter — it gained a prize for the use of locations, and was nicely set in the rural spaces of the New Forest. A little boy finds a magic pencil. He uses it to trace a penny on a piece of paper, and next morning the drawing has become a real penny. So he mints more — until he loses the pencil.

This was more like the sort of thing we expect from the keen 8mm. film-maker. No false dramatics, no attempt to ape the worst kind of commercial movie. The little boy was charming, but needed firmer direction. The commentary was coy and quite unnecessary. But at least there was some enjoyment here.

I should like to be able to use *The White Silk Scarf* as a lecture illustration of the most infuriating sort of amateur film. Perhaps it deserved a prize for "best direction" (although what about the excellent camera work, the good cutting and the acting?). The script-writer, however, should be forbidden access to a camera or cameraman until he can dream up something a little less absurd than this kind of ending.

The pre-title sequence is splendid; a pretty blonde comes on to a deserted railway station platform. A man is waiting — we see at first only his cigarette, puffing away in a striking deep-focus shot. He approaches the girl. She runs in terror. He catches up with her on a footbridge, as a train rumbles through underneath. Next moment, she lies there strangled.

Considerable tension is generated while we wait for the killer to strike again; it seems that he has an aversion to all blondes. There is a terrifying shot, tilting up to his evil eyes peering out from behind his victim's clothes in an hotel wardrobe. He strikes — but the girl in bed awakens to find that It Was All A Dream.

Granted technical expertise and some imaginative moments almost worthy of Hitchcock, what's the point of making a film with an ending so completely banal? And why in heaven's name inflict it on a National Film Theatre audience? After all, there may have been some ordinary film-goers there, as well as cine fanatics.



Wall scribbles aptly and ingeniously provide the titles for a drama featuring two tramps: *"The Key"*, awarded the prize for the best acting.

Outright winner — "The Best 8mm. Film Of The Year" — was Major Ewart-Evans's *Count Down*. At least this is a film which would be worth talking about even if it had never been shown on a screen bigger than a pocket handkerchief to an audience of three in a telephone kiosk. It has serious faults, but there's a breathtaking audacity about its central idea.

Briefly, we are shown an English garden in the spring. The owner is going abroad. In fact, he goes to the States, where he works on the launching of a guided missile. The test over, he returns to his wife and his children in the sunlit peace of the English countryside.

No direct comment is made. Here is simply a trip to hell and back; a glimpse of destruction unlimited, framed in sunshine and roses. The awful comment is clear enough, if we have any imagination and care to think about the thing.

Count Down should have been one of the films of all the years. Unfortunately, its impact has been greatly weakened through excess footage. We do not require to see scenes on the voyage to New York. The skyscraper coastline is irrelevant; the glimpses of American rail-roading add nothing to the central idea. This should not have been tricked out like a travelogue.

The sequence at the desert testing ground is prefaced by some grimly effective shots of giant cactus plants, holding up great spiky hands in warning. A lethal-looking scorpion scuttles across the hot sand. Its image of cruelty is followed by another one — a great black snake on the yellow earth, which turns out to be a cable twisting its way from the control centre to the missile launching ramp.

This is wonderful material, but it is interspersed with shots of the Boot Hill Cemetery, of the gravestones carrying their laconic messages: "Killed by Indians", "Hanged by mistake", and so on. Major Ewart-Evans even throws in a close-up of a real Red Indian for good measure. The audience titters, and the

final effect is weakened. We would have taken his point, without the gravestones and the stock-shot warrior. This is a gallant film which deserves to get known. But it doesn't quite come off.

Well, that's a pretty drastic evaluation of the programme's worth, isn't it? In fact, most of the films are hardly worth a mention at all. But when eight pictures are selected, and shown to the public in a famous cinema, one assumes that they're meant to be taken seriously. I've tried to, and, on the whole, I couldn't.

I'm sure that people are going to say: "What the hell? You didn't like them. So what?" But I feel sure that few people would admire this programme if they were not ardent amateur cinematographers ready to gape in awe at the mere sight of tiny little films flickering across a big, wide screen. Showing these pictures can have done no good to the real amateur film movement — the one that counts, the one that gives us pictures like some of last year's Ten Best or such as we can see in the occasional TV programme.

At a time when non-professional productions are beginning to prove their worth, it is a pity that occasions arise which might make such a claim seem ridiculous to anyone who has little experience of amateur production at its best. The IAC "Festival" was one such unhappy occasion, last year. It's sad, but I can't help feeling that this public presentation of the first "Top Eight" was as unfortunate. If the 1960 Ten Best films are any good at all, I hope that this show hasn't scared off a potentially appreciative audience.

Please, critics and cinema-lovers, this isn't all that there is to amateur cinematography. Don't give up in despair! There are good amateur films.

Pure Bliss!

PETER SELLERS' personal prescription for the best use of leisure time (given to an interviewer in the BBC's *In Town Today* programme a few weeks ago): Playing around with tape and cine, with bits of equipment all over the floor, then — "best of all" and "pure bliss" — settling down in the most comfortable chair to read *Amateur Cine World* and *Hi-Fi News*.

Who wants commercial radio when the national network will broadcast a puff like that without being asked? Seriously, though, we are grateful for the compliment and can return it with complete sincerity. In seeing and hearing Peter Sellers we have known pure bliss ourselves — without, even, the help of a comfortable chair.

The authors describe some simple "manufacturing" operations, well within the scope of the average handyman, which turn the inexpensive G.45 into a useful amateur camera. Previous instalments appeared in ACW of February 16 and March 23.

CONVERTING THE G. 45 Gun Camera

BY A. GRAHAM AND K. M. GARRETT

Illustrations by A. J. Ashworth

HAVING NOW completed the removal of surplus components from the gun camera, we can start working on the additions necessary to make the camera suitable for use.

Fitting Tripod Bush.—It has already been pointed out that, weighing some 7lb, and about a foot long, the G.45 is somewhat unwieldy and difficult to steady for hand-held shooting. We have used it in this way and have been known to support it on such things as mantelpieces, chairs, railings, fences and car tops. All good movie-makers will agree, however, that no matter what the camera, from Arriflex to Baby Pathe, better results are obtained when a tripod is used.

Before proceeding with the apparently simple operation of adding a tripod bush, let us pause to consider the tasks we have in mind for our G.45. If we intend to use it for titling only or for animation work, where the camera is to remain in a fixed set-up for most of the time, a hole drilled through the base and tapped with a $\frac{1}{4}$ in. Whit. thread will be admirable.

The point of balance of the camera is readily found by poising the camera, complete with lens and a loaded magazine, on a pencil or thin rod. This point is marked on the side of the case and from it the drilling point in the base is determined.

For using the G.45 indoors and out, in the same manner as one would an orthodox camera, we strongly advise that some means be found to ease the strain on the case; it must be remembered that at this point the base is but $\frac{1}{4}$ in. thick and made of cast alloy. A sharp drag on the cable, or a knock on the ends, can cause a bad crack, as we ourselves have learned from bitter experience.

In the light of these remarks, we offer constructional details of two alternatives, one an adaptation, the other an accessory. If you are definitely not the handyman type, then the next few paragraphs can be skipped.

The adaptation: this consists of reinforcing the base of the camera body, inside, with a piece of brass or mild

steel, and then drilling, and tapping through both body and reinforcing plate. The plate should be about $2 \times \frac{1}{16}$ in. and not more than $\frac{3}{16}$ in. thick, otherwise the magazine holder will fail to seat properly when closed.

After finding the approximate point of balance and marking the bush position on the outside of the case, remove the side door by unscrewing the four 4BA countersunk-head bolts. Remove, also, the magazine holder; this is held, when




Fig. 1. The detachable base, an easily made accessory suggested as an alternative to mounting a tripod bush on the G.45 itself.

open, only by its pivot-pin, which should be tapped out from the closed side of the case—being a shouldered pin it can move only in one direction.

Two screws will be sufficient to hold the reinforcing plate in position, so mark, centrally and to one end of the plate, the position of one of them. Drill a 4BA clearance hole (No. 27 drill) and countersink. Remove the brass cover which protects the wiring along the base of the case and position the plate inside the camera, so that its midpoint approximates with the balance point already marked. Now, using the securing hole already drilled as a guide, drill the camera body 4BA tapping size (No. 34), tap the body 4BA, and secure the plate with a 4BA c/s-head screw.

The position of the securing screw for the other end of the plate is next marked on the outside of the camera body and a hole is drilled (No. 34) through both body and plate. Remove the plate in order to enlarge its second hole to clearance size and to countersink, as before. Tap body hole 4BA and secure the plate to the camera again by means of both screws. The final hole is for the tripod thread. With a $\frac{1}{4}$ in. Whit. tapping size (No. 8), it should be drilled from the outside in the predetermined position, through both case and plate, and then tapped $\frac{1}{4}$ in. Whit. All this may sound long-winded, but it does ensure that the holes exactly coincide without recourse to accurate measuring instruments. Finally, file the screws flush with the bottom of the case, to make a neat and inconspicuous job. Replace cable cover after adjusting it slightly, if necessary, and replace also the side door and magazine holder.

Now the accessory. This (Fig. 1) is manufactured to make use of the semi-circular clamping slots to be found on the bottom of the case at the front and rear. A piece of mild steel measuring $\frac{3}{16} \times \frac{1}{2} \times \frac{1}{16}$ in. is filed at one end to conform with the clamping cut-away at the forward end of the camera and then bevelled to fit flush. It is then secured, by two countersunk wood-screws, to a $12 \times 1\frac{1}{2} \times \frac{1}{4}$ in. hardwood strip. A second piece of mild steel of similar dimensions is filed and bevelled to fit the rear clamping cut-away, but this piece is slotted for (say) $\frac{1}{4}$ in. to take a $\frac{1}{4}$ in. coach bolt; the rear $\frac{1}{4}$ in. is then turned up at right angles to make a thumb plate. Lastly, the hardwood strip is drilled to take the coach bolt.

To mount the camera on the accessory, place it on the wooden base and push forward to engage with the forward plate. Move up the rear plate along its slot until it too is firmly engaged in its cut-away and then clamp it by tightening down the bolt, using a wing nut and washer on the underside. The plate should be so positioned that the camera overhangs the base by $\frac{1}{4}$ in. on the opening side, otherwise the door cannot be fully opened.

The Viewfinder.—Here again, alternatives are given to suit the facilities available to readers. The ideal site for the forward component is that occupied by the small ivory voltage-indicating plate on top of the camera body, immediately forward of the magazine holder lid. This plate is secured by two easily removed brass rivets set $1 \frac{1}{16}$ in. apart. A small ($1\frac{1}{2} \times \frac{1}{4}$ in.) brass hinge may now be bolted to the case in the same position, using 6BA bolts and nuts, and to the free flap of the hinge the viewfinder frame is secured. Suggested dimensions for the frames are $1\frac{1}{2} \times 1\frac{1}{4}$ in., carrying an aperture of 38.0×28.0 mm.




Fig. 2. Magazine converted into a viewfinder by adding a ground-glass screen and mirror. The card mask and screen have been placed on the mirror to show the construction more clearly.

(If the gate aperture has been modified the dimensions should be 43.0×36.6 mm.) Brass or copper may be used for the frame, but even stiff card is quite satisfactory. A stiff wire frame bent to the correct measurement and then soldered or bolted to the hinge can be (and has been) used effectively.

The rear, peepsight, component should be mounted on the back of the case so that the centre of the peephole is in line with the centre of the forward frame; the aperture should have a diameter of $\frac{1}{4}$ in.

The rear sight, too, can be mounted on a hinge, but as there are no convenient holes available at the back, any required will have to be drilled. There is no reason, incidentally, why both front and rear components should not be stuck in place with a good metal adhesive. Remember, though, to carry out the instructions on the tube; in particular, make sure you remove the paint from the case at the points where the parts are to stick.

Through-the-Lens Finder. — For those who plan to use the G.45 for titling only, a simple through-the-lens finder may be made by adapting a spare magazine. The same adaptation may also be used as a critical focuser for other close work.

After sliding off the lid from the magazine, remove the pressure plate and replace it by a piece of ground glass or Perspex ($1\frac{1}{2} \times \frac{1}{2}$ in.), or simply a piece of tracing paper, and secure this in position with small strips of cellulose tape. An added refinement is a small piece of mirror ($1\frac{1}{2}$ in. \times $1\frac{1}{2}$ in.) which is rested against the forward (feed) spindle to form roughly a 45 deg. angle with the back of the gate—this, too, may be

held in place by cellulose tape. The magazine in Fig. 2 has the mirror mounted on a triangular wooden block which was suitably drilled to fasten over the feed spindle.

In use, the adapted magazine is slipped into position in the camera. Apply no power to the motor, so that on depressing the release button described in the last instalment, the shutter will open. It will remain open until such time as power is applied, when it will "wind itself up" and be held closed against the latch. If extraneous light, falling upon the mirrored image, makes this hard to define, close the side door of the camera, having first removed the circular blank from its forward end. You then have an adequate peep-hole through which to view the image.

If the mirror is set to reflect the image upward instead of sideways and a hole cut in the top of the magazine, the blank on the top of the magazine carrier may be removed and viewing carried out from above. There are in existence, we believe (though we have never met them on the surplus market), specially constructed magazines, designed for through-the-lens viewing when the cameras were being "lined-up" in the aircraft. One of these magazines would be a distinct asset.

Supplementary Lenses. — As mentioned earlier, the G.45 is fitted, as standard, with a 2 in., $f/3.5$ fixed-focus lens




Fig. 3. Spacer for altering focal length. The two spigot holes are $\frac{1}{16}$ in., the four bolt holes at the corners $\frac{1}{8}$ in. at $\frac{1}{8}$ in. centres. The keyhole-shaped aperture (basically a $\frac{1}{8}$ in. hole) measures $\frac{1}{8}$ in. overall.

mounted in a protective alloy case. The lens system proper is a fairly small item which measures approximately $7/8$ in. long \times $7/8$ in. dia., excluding the mounting flange (see Fig. 1 in the previous instalment).

Over the years, several people have advocated adjusting the focus of the lens by rotating it in its mount (a very full account of how this may be achieved was given in ACW of September 1949), but we feel that it is not really necessary, nor even particularly desirable. The protective case can be adapted with very little trouble to accommodate supplementary lenses, particularly the type with the broad front flange. A piece of copper or heavy card tubing of $1\frac{1}{4}$ in. outside dia. and $1\frac{1}{2}$ in. long, slit longitudinally to pass over the "key" inside the top of the housing, will make a suitable support for $1\frac{1}{4}$ in. dia. supplementary lenses. Cine dealers often carry a fair range of supplementaries, so those of desired diameter and focal length should not be difficult to obtain. An alternative source of supply comes by way of old spectacles, but with these one must determine the focal length for oneself and be prepared for such odd figures as the 17 in. and 33 in. of the two lenses we frequently use in the titler.

If the supporting tube is made $1\frac{1}{2}$ in. long, the supplementary lens will be just in contact with the front element of the camera lens; a thin card or rubber washer will guard against damage and a second packing washer, in front of the supplementary, will then allow the front flange to be replaced and screwed down sufficiently to hold it firmly in place.

The same arrangement will also serve to hold filters and even aperture plates.


An alternative method of altering the focus for close work is by means of spacing plates (Fig. 3). Two such plates have been in use on one of our cameras for several years; they are each of 16-gauge brass and the two placed together between the lens mount and the case give a focal length of almost exactly 36 in. This figure was determined by photographing a number of small "flags" each marked with its distance from the camera lens, the sharpest being accepted as the approximate focal length. The process was then repeated, this time with a series of marked flags spaced at $1\frac{1}{2}$ in. intervals on either side of the selected flag, thus giving a figure accurate to the nearest inch. In this way the focal length for plates of any thickness can be accurately determined.

Lens Aperture Plates. — These are a most useful refinement, if they can be acquired, but making them is hardly a "handyman" job. Any reader who can enlist the aid of an engineering friend would be well advised to do so. Apart

Continued on page 508.

The 9.5mm Reel

BY CENTRE SPROCKET



The complete processing machine. For spool loading cameras a loading-bar would be added to the front of the tank. The polythene tube drain is hooked up on the left, the trough is of Perspex, and the drum is made from a film can, some Cobex, and bell-wire.

DOING YOUR OWN PROCESSING

1. The equipment and how to make it.

NOW THAT THEY ARE ASSURED of a supply of non-process-paid film, many nine-fivers tell me that they would like to do their own processing. The technique is remarkably simple, and the apparatus required can be both compact and cheap. (9.5mm. scores here; 8mm. is processed in 16mm. widths).

The two types of processing machine particularly suitable for home-use are the rewind and the drum and trough. It is probably easier to get good quality from the latter; with the one described many hundreds of films have been successfully processed in the past year or two, and it cost less than 50s. to make.

It consists of a base-board with a small induction motor (obtainable cheaply from surplus stores) as used for gramophones, and, of course, the drum and trough. Two wooden uprights act as bearing housings, and are slotted as shown. The bearings should be a tight push fit into the slots so that they are held firmly in use but may be easily removed to enable the drum to be cleaned.

The drum is driven via a 12 to 1 reduction from a $\frac{1}{2}$ in. pulley on the motor and a 6in. Meccano pulley on the drum spindle. The drive is by Meccano spring belt. This arrangement gives the ideal speed of rotation with 1 pint of solution in the trough.

The motor, switch and wiring should be suitably protected from contact with water or any of the solutions, and the motor chassis should be earthed. The safest arrangement is to have the motor operated by a cord switch fixed on the darkroom ceiling or wall. A pendant cord is easily found in the dark, and in

manipulating it there is no danger of knocking over bottles on the workbench.

Perspex is the ideal material for the trough. The cemented butt-joints are completely water-tight, and it is quite unaffected by any of the chemicals used. One surprising advantage of it (and of the material used for the drum—see below) is that it is not easily wetted, so that when any processing solutions are drained off, hardly any remains to contaminate the next. Hence the rinsing and washing stages can be considerably shortened.


To make the trough, cut two semi-circles of $\frac{1}{2}$ in. Perspex 10in. in diameter. Then a piece of $\frac{1}{16}$ in. Perspex, $16\frac{1}{2} \times 11$ in. curved to fit, is cemented over the semi-circular discs to form a semi-cylindrical trough 10in. diameter, 11in. long. The $\frac{1}{16}$ in. sheet can be bent quite easily if it is placed in a pan of nearly

boiling water, and will retain its shape when cool.


A very neat job could be made were the sheet bent round a wooden or metal drum-shaped former of the correct diameter, but having nothing of the sort available, I merely immersed a little of the sheet at a time and shaped it by hand. With care, this can be done quite easily, but watch that heating one part does not spoil another. It is so disheartening to complete the last inch only to see the first half slowly subsiding back into the water!

A length of polythene tubing is cemented into the lowest part of one end of the trough to act as a drain-pipe. If you can get hold of a short length of Perspex tubing to cement into the trough itself, then the polythene could merely be pushed over it. However, if suitable Perspex tube is not available, the polythene will cement into the sheet Perspex directly, but then must be clamped and cemented firmly so that there is no movement or strain in the joint when the trough is operated, for Perspex and polythene do not weld and you have merely a "glued" joint.

I find the $\frac{1}{2}$ in. O.D. and $\frac{1}{4}$ in. I.D. tub-



Detail of mounting for bearings. Each bearing is a tight push-fit in its slot.



Front elevation. Wooden posts fixed to the base-board support the drum. The trough is held by spring-clips.

ing ideal. It is big enough to drain the tank quickly—an important point—and thick enough not to collapse or flop about. Actually I find that with this tubing a tap is unnecessary. The end of the tubing normally stands well above the surface of the solutions in the trough, and to drain it I have only to unhook it and bend it down into a bucket. Should I forget to hook it back again, its natural springiness returns it to the upright position, so there is no danger of losing the next solution to be used—a great advantage when one is working in total darkness and cannot see that all is well.

To keep the trough level, and sufficiently clear of the base-board to allow room for the drain, two "feet" are cut from the waste tin. Perspex and cemented to the trough. The method of fixing the trough to the base-board is a matter of personal choice. My original lash-up made use of lengths of curtain-runner spring screwed to the base-board by the conventional screw-eye and hook. This has proved so simple and efficient that I have never changed it. The trough can easily be unhooked for cleaning, and is equally easily adjusted for position, as under the tension of the springs it stays wherever it is put.

The drum, 10in. long, is constructed from a 9.5mm. or 16mm. 400ft. film can and a quarter-sheet of Cobex. This material is sold for side-car windows and similar uses, and the quarter-sheet is just the right size. It looks like thin Perspex but is more pliable. Unfortunately it is not possible to cement the two together—they are quite different materials and just won't join.

With a liberal application of clear Bostik, cement the Cobex round the tin, the top and bottom of which are used flange outwards to form the ends of the drum. Allow a good inch overlap at the seam, and once more apply a really liberal amount of Bostik. The whole is held firmly together with adhesive tape until the glue is set. You will be lucky if you get an absolutely water-tight drum at this stage, but in fact it dips so little under the surface of the liquids that this does not matter.

When the Bostik has set, drill a 5/32in. hole centrally in each end to take the spindle and another one or two holes near the spindle to allow the drum to "breathe". If these are omitted, the expansion of the air in the drum when a warm solution is used is sufficient to burst the seams.


A piece of 5/32in. silver steel rod acts as the spindle. This is sold in standard lengths of 13in. (a circumstance which played a part in determining the size of the machine!). The rod is soldered into the spindle holes in the ends of the drum so that 1in. protrudes beyond one end of the drum, and 2in. beyond the other, measured, of course, from the edge of the flange, not the face of the drum.

Small ball-races with 5/32in. centres are easily obtained—cheaply, too—from surplus stores. One is slipped on each end of the spindle, and the machine assembled on the base-board. Ensure that the drum can revolve freely in the tank by adjusting the position of the bearings, then solder them firmly to the spindle.

The spiral is made from thin P.V.C.—

covered bell or equipment wire. A small hole is drilled in the left-hand (short spindle end) drum flange, and the wire threaded through and anchored with a knot. Winding the spiral can be done very much more easily and accurately with some assistance. Standing behind the machine, turn the drum towards you and at the same time get your assistant to feed the wire and a length of scrap

Brackets, made from pieces of Perspex to form "blind" slots, hold the loading-bar. These are cemented to the tank.



9.5mm. film on to the drum together. The film acts as a spacer-guide, and you must allow 1/16in. between each edge of the film and the wire.

As the film and wire are fed on to the top of the drum, the wire is given a coating of Bostik to keep it firmly in place, and is anchored at the end by pushing it into a slot cut in the right hand flange and knotting it.

Two small Perspex brackets cemented to the ends of the trough are slotted as shown to take a loading bar of silver steel rod. Finally, a small hook of stainless steel is cemented in the left-hand flange to anchor the end of the film, and the drum is ready for use.

Next week: How to load and use the drum.

8mm. Goes to Town—continued.

able; he has not got the resilience of the professional, and when he is knocked down it really hurts. If he enters for a competition and his work is presented to people who pay to see it, he must expect knocks, says the critic, No quarter! Giving none, Jack Smith says that these were not films to put before a National Film Theatre audience, and one infers that there is something almost improper about hiring the theatre for the entertainment of other than N.F.T. types. The ordinary amateur film-maker who does not set his sights so high will ask if his money is not as good as anyone else's, and what, if anything, he will want to know, is wrong with putting the theatre at his disposal for a single day.

Admitting the validity of some of the criticism, it should be pointed out that the reception of these shows by packed houses had a warmth not always generated at the N.F.T. The friendly atmosphere, the readiness to take every point,

even the unduly laboured ones, would have gratified any showman—certainly the family showman.

The convivial, tolerant spirit, the feeling of attending a gala night of a big club which informed these presentations, used once to invest the Ten Best shows when we, too, were beginning. Some readers tell us that they regret that this atmosphere should no longer be so strongly in evidence, that the result of amateur films' growing up and reaching for a wider public should be a diminution of the party spirit.

This is inevitable, much though one may regret it, but the knowledge that we have at least reached and held the general public—the goal of every entertainer—brings a deeper satisfaction. We are confident that the Top Eight will eventually arrive at this stage and will entertain the public all over the country instead of, as now, London and Manchester alone. They cannot but do so, indeed, if the express intention of this year's experiment—to break down the barriers between the 8mm. film-


maker and the public—succeeds on all counts as it deserves to do.

Meanwhile, let us enjoy the party spirit while we can, and spare some of the goodwill for the Smiths and the Double Runs who raise a severely admonitory finger only because they are impatient of any delay in the fulfilment of present promise. This year's shows gave a great deal of pleasure. We congratulate the organisers and the film-makers who contributed to it and produced the goods for 8mm.'s biggest shop window yet.

NEW CLUBS

Hertford C.C. has held its first meeting at the Hertford College of Further Education. Details of membership from R. G. Morris Eyford Cottage, St. Mary's Lane, Hertingfordbury, Hertford.

The newly formed Wandsworth C.C. meets every Wednesday at Mayfield School, Putney, S.W.15. They have already had a lecture on titling, and ideas are being canvassed for a group film. Users of all gauges are welcome, and they need not own equipment. Hon. Sec.: C. Flack, 30 Cromford Road, Wandsworth, London, S.W.18 (VAN 4711).



AMATEUR MOVIE MAKER'S Top 8 show at the N.F.T. was a disappointment, I must admit. They'd had trouble with the Cirse arc projector. The picture was so dim at the press show on the Thursday that it could scarcely be seen at all, so on Friday they'd 'phoned the factory in Turin. Italian air lines were on strike, but an engineer travelled to Paris by train, then flew to London, arriving at 11 a.m. on the Saturday.

He had to run through a trial film ten minutes before the 3 p.m. show, in front of the audience. Then Tony Rose appeared and held up a large white card in the centre of which was a tiny 8mm. frame which, of course, no one could see. He pointed out how lucky they'd be to get a 12ft. 6in. picture from such a tiny frame. And how lucky they'd be, he continued, to hear any sound either, when they remembered that, for most of the films, it had been transferred to stripe which ran down the edge of that tiny frame.

The packed audience listened to all this very carefully—and sympathetically—but if, as Mr. Rose suggested, the aim of the show was to break down the barrier between the 8mm. filmer and the cinema-going public, it was not a very happy omen. If 8mm. films are to be shown to large audiences, they must stand or fall on their own merits. If you have to start by apologising for their quality, why show them at all? But, as it turned out, the films were rather dull—in more ways than one.

Of the two I did like, *Penny Pencil* contained two lovely B.C.U.s (of a little boy with mouth open and tongue stuck out, concentrating on pencilling the outlines of a penny on a piece of paper), which opened my eyes to the sort of family film which this competition might have brought to light but didn't, while *The Count Down* provided a lightly sketched but chilly contrast between the gaunt cacti of an isolated American missile testing site, and the bright flowers of an English garden where children play and a cat scratches itself.

8mm Viewpoint

BY DOUBLE RUN

8MM ARC MAKES ITS BOW


An important arrival and Vanishing Britain are coupled in this survey of two amateur film competitions.

Charles Beddow, chief projectionist at the N.F.T., strikes up the Cirsesound arc. Although the Cirsesound rectifier was brought over as well, the arc was actually running from one of the 35mm. projector's rectifiers. Note the canopy over the lantern for exhaust fumes from the arc.

The screen quality of *The Count Down*—a 16mm. blow-up—was infinitely preferable to that of the 8mm. originals, being both bigger and brighter. Or so I thought, but while I was queuing up for coffee afterwards, someone near me said exactly the opposite. He was going more for the accuracy of the colour, where, of course, the 8mm. originals did score. But I'd be much happier to see 8mm. blown up to 16mm. for shows like this. Apart from the inconvenience of setting up the arc projector, there is also the point that it runs only at 18 f.p.s. The difference between 16 and 18 f.p.s. is very slight, I know, but both *The Lady Beautiful* and *The Glorious Memory* looked speeded-up to me.

No, one way and another, I found it all rather discouraging. I don't think other people did, though. "What an achievement it is to get 8mm. on to a screen this size," said someone, "when only a few years ago..." But is that how the cinema-going public would feel? Anyone straying into this show who was really keen on films but knew nothing about amateur productions would not, I think, have been very impressed. But, let me repeat, the audience seemed to like it. Perhaps I was feeling awkward that afternoon.

That evening I went along to a Grass-



The Cirsesound arc projector and the Bell and Howell 16mm. arc projector used for showing a 16mm. enlarged print from one of the 8mm. originals. Adjusting the Cirsesound is Signor Vercolloni from the Cirse factory in Turin.

hopper show to see some *Vanishing Britain* entries. I'd read in *ACW* that I was to appear and that a film of mine was to be screened (it was the first I'd heard of it), so I thought the least I could do was to look in. The programme I saw was quite an eye-opener, the films being so much better than I had expected. To be honest, they were a great deal more entertaining than the Top Eight, even though they were shot on 16mm.—and mine wasn't included!

There were some first-rate ideas: *Clangoroma* by Class Films was an entertaining parody of *Panorama* interviews, with a particularly nice shot of an interviewer running alongside a long-distance walker, and being jerked to an abrupt halt as his mike cable ran out. The interviewer's voice (Lambeth?) did not bear any resemblance to the cultured tones offered us by the BBC, but otherwise it was all very slick.

This Scept'd Isle, by University College students, poked fun at Fitzpatrick travelogues, with references to native transport (American cars), native food (shop signs advertising exotic foods from all over the world) and English culture ("Fings Ain't Wot They Used to Be"). Felix Süßmann's prizewinning entry turned out to be in colour—with some really impressive photography, while Gerald Evans' sneezing film struck me as really funny and imaginative—yet I had thought it dismal on TV. He explained, in a taped introduction, that he had got the idea from a newspaper heading: *Britain is not to be sneezed at*. What, he wondered, would happen if you *did* sneeze at it? The film shows us.

Another entry by Class Films presented a disgruntled citizen who sought to escape political storms by towing the British Isles down past Spain. For his film on the Cutty Sark Paul Bronson had recorded a sound track of randomly plucked strings from an old grand piano he had pulled to pieces.

All this was rather exciting, with plenty of evidence of imagination and skill; and there was the advantage that you knew that a film couldn't go on longer than five minutes! After the interval (drinks and coffee available—if you could find somewhere to stand), John Aldred presented his old Ten Best winner, *Antiquities of Wycombe*. It had

(Continued on page 508)

Our Enquiry Bureau has always been one of the busiest departments of ACW, and with weekly publication it has become still busier. Will querists therefore please note the following few points designed to enable us to offer the speediest possible service? Please (1) enclose stamped addressed envelope; (2) write on one side of paper; (3) attach the Query Coupon on page 487. Address is on page 513.

Your Problems Solved

Problems that can be briefly described, and almost as briefly solved; these are the ideal material for a feature like this. But mains hum is so prevalent a fault, and one often-effective cure so little known, that we give it special treatment. Brevity and variety will be restored next week.

Hum and the Earth Loop

I am building up a tape sync. equipment with separate units—main amplifier, tape amplifier (basically the Mullard design), and one power pack feeding both—and have now run into trouble with hum. When the main amplifier is played straight into the loudspeaker (e.g. from gram) there is no hum; nor is there any when the tape amplifier, reproducing borrowed tapes, is piped to the main amplifier and thence to the loudspeaker. When I run from the main into the tape amplifier on recording, however, a fairly high level of hum gets on to the tape.

I know it is a recorded hum, and not something that happens during playback, because it is just as loud when my tapes are played on a friend's commercial recorder. In addition, I have noticed that the magic eye closes up slightly when I plug in the jack from the main amplifier, even when there is no signal going in.

What makes this specially puzzling—and personally mortifying—is that I took a lot of trouble with screening, even to the extent of using screened jack plugs on my main amp.-to-tape-amp. coaxial lead. I believe that some mag./optical projectors have a "humbucking coil" to get rid of hum. If such a thing would help, please tell me what it is and whereabouts it goes.—N.P.S., Oxford.

Your mortification will not be less, we fear, when we tell you that your careful screening is probably the cause of the hum. This trouble has all the symptoms of an "earth loop", a




Fig. 1. Earth loop exists; there is a complete circuit for the hum.

phenomenon often encountered when various pieces of amplifying equipment are interconnected by flying leads.

The tape and main amplifiers both run direct to a common earth in the power pack (probably through their H.T. negative lines). At the same time, when interconnected by the coaxial lead, each can find an indirect path to earth along the lead's braiding and through the other's chassis. It is not easy to see why this matters, since on the face of it all earths are at zero potential, but in practice it does. What happens, roughly, is that slight differences in the impedances of the two earth lines between the amplifiers and power pack raise one chassis to a slightly higher a.c. potential than

the other. Consequently, when the interconnecting lead is plugged in, a small alternating (and therefore hummy) current will flow through the screening of the lead and be injected into the tape amplifier along with the signal you are recording.

As Fig. 1 shows, the effect of such an earth loop is to put an a.c. generator in series with the two pieces of equipment. The voltage produced is not one you could measure with an ordinary meter, but it is enough to show on your magic eye (and be audible on your tapes) because it is being fed into a stage where the




Fig. 2. No circuit for hum; workable and safe.

gain is high. Earth loops can even be present between different stages on the same chassis. It is for this reason that a good audio designer does not earth individual components at the nearest points on the chassis (for there might be circulating currents in the metal) but connects them all to a bus-bar which meets the chassis at one point only.

The remedy—worth trying by other readers who may be puzzled by hum when pre-amps., amplifiers and so forth are interconnected—is to interrupt the earth loop at some convenient point (Fig. 2). On your set-up, the best place to do this is at the coaxial lead by earthing the braiding at one of the jack plugs only and leaving it to float at the other. Make sure that it does float at the open end by cutting it back below the insulation (or by fitting a rubber sleeve) so that no whiskers of wire can touch the metal body of the screened plug. Another way to cure an earth loop would be to cut away one of the two earth lines that run to the power pack (Fig. 3). This would work, as long as the interconnecting lead was earthed at both plugs and kept plugged in, but the tape amplifier would be live, and probably stop functioning, if either of the plugs were removed.




Fig. 3. No circuit for hum, but dangerous (and perhaps unworkable) if coaxial is removed.



A humbucking coil consists of a few turns of insulated wire and is often connected across the terminals of a playback or record/playback head; the idea is to pick up stray hum voltages from the tape deck, etc., and feed them into the head in opposite phase to any hum picked up directly by the head. Such a coil can easily be wound by hand. When the best way to connect its two ends to the head has been found by trial and error—in one of the two positions the coil will make the hum worse—the coil is given a fine adjustment by twisting it around until minimum hum is heard. Humbucking is a useful dodge, but it will not solve your problem. If your head were picking up hum, you would have heard it when playing the borrowed tapes.

Masking a Screen

Having changed my projection arrangements, I need to increase the width of the black border on my glass-beaded screen. Can you recommend a suitable paint?—J.L., Leicester.

We have found it very difficult to paint satisfactorily on a beaded screen because the paint tends to run between the beads and produce a wavering outline; even if this could be avoided, the paint would rub fairly quickly from the tops of the beads when the screen was rolled and unrolled, giving a progressively "sparkly" effect. A better and easier job can be done with black self-adhesive tape.

Mysterious Fog

May I have your opinion on the slight fogging present in the cuttings enclosed? In cuttings 1-6, there is a small white triangular shape and the odd thing is that this fault occurs at different intervals throughout the spool. And what, please, is the cause of the completely transparent frame on No. 7? Am I right in thinking that a light frame at the beginning of a shot is because the mechanism of the camera is still gathering speed?—E.J.S.K., Manchester 16.

The white triangle on your first six samples is due to a very small light leak in the camera. If you look at your next spool before cutting it you will almost certainly find that this mark occurs at the same distance from the start of each new shot. It is probably due to light striking the top or lower loop. You should be able to locate the point exactly by putting the exposed film back in the camera with the last frame of a shot in the gate aperture: this is where the film was stationary for a time and the position of the triangle will be near to the source of stray light.

Your completely transparent No. 7 is the result of a massive over-exposure through an open shutter when the spring ran down. You forgot to wind!

Yes, the pale first frames are typical of the over-exposure received through a shutter which is moving too slowly.

News from the Clubs

A FEATURE of Purley & Dist. F.S. annual general meetings has been the showing of films made by the production group. At the first of these meetings, one film made during the previous year was shown. The following year there were two, and this year four—evidence of the steady increase in size and activity of the group. All were 8mm., and were shown on the same 6ft. screen as the professional productions which make up the bulk of the society's fare (they are primarily a film appreciation group).

One of this year's a.g.m. quartette, *A Record of 1960*, compiled by Gordon Brown, was shot by twelve cameramen. Most ambitious film of the evening was *Smokesignals*, the society's first cartoon (cels, cut-outs, sprocketed tape). Eight members worked for two years, under the direction of John Lawrence, on this story—with a moral for our times—about two Red Indian tribes' first encounter with firearms. A Goonish comedy, *Cooks in the Broth* (Sydney Lavender), and the only b & w silent film of the evening, John Carne's *Party Piece* (essays in trick work and some intricate cross-cutting) completed the programme. Two group films are now in active production. One of them, shrouded in Psycho-like secrecy, is a reply to a challenge by Welling C.C. (J. H. Lawrence, Appletreewick, Roke Road, Kenley, Surrey).

Members of Bristol C.S. were delighted to find that Jack Smith is human like the rest of us. They made this gratifying discovery when he paid them a visit recently. Seven members travelled to London to see the *AMM* Top

Eight and to collect the editing kit (presented by David Williams [Cine Equipment] Ltd.) for the best photography—awarded for the society's *The Lady Beautiful*. Membership now exceeds 70—the highest in the club's history. A special extra meeting had to be called to discuss scripts for summer filming, for 19 had been submitted—another record, they claim; a record for any club, we should think. It is probable that three or four units, using both 8mm. and 16mm., will soon be at work on some of them. (D. E. Stevens, 31 Wellington Hill, Horfield, Bristol, 7).

The job of car park attendant is a most entertaining one, says Ken Mills of Pinner C.S. coaxingly. Members did not fall over themselves to take it on when the Ten Best were presented recently. If it's as jolly as all that, why not build a film around it? Copies of the club film, *Photofinish* (Michael Anderson trophy in Three Counties Film Contest, Two Star 1959 Ten Best) are offered members at prices ranging from £21 for 16mm. colour with stripe, to £7 for 8mm. colour silent. (C. J. Sage, 20 Dawlish Drive, Pinner, Middx.).

A new member, D. S. Tomlins, who joined the club's very successful showing of the Ten Best, took first place in Chester C.S.'s competition. A holiday film (*A Place in the Sun*), it was embellished with animated titles and had a tape commentary. 2nd: *Royal Balmnain*, by Roy Harper (charity fashion show by a local store). 3rd: *Rhosneigr Rescue*, by Ken Morrison (two-minute on the spot record of a helicopter


rescue at sea). 4th: *A Thousand Miles Through Bavaria and Austria*, by Jack Yates. The society now meets in new premises, The Assembly Rooms, Newgate Street, at 8 p.m. on Tuesdays. (T. R. Harper, 45 Nicholas Street, Chester).

Three members of Potters Bar C.S. judged the nine entries for Walthamstow A.C.C.'s annual competition. Winning film, *Fish for Two* (16mm., colour), by R. Cranshaw, featured the producer's son and daughter. The boy has to take his sister with him when she goes fishing and is understandably peeved when she lands a catch and he gets nothing; but a little bribery restores her *amour propre*. Runners up: D. Bellefontaine's 8mm. colour record of a visit by the Billy Smart circus; *Caught in the Act*, by Norman Laxton (about small boys who can't keep away from orchards) and *Bundle from Heaven*, by R. Collins, who filmed it before and after the arrival of Collins Jr. These and other entries were presented at the club's annual show at the Ross Wyld Hall on Mar. 30th. (E. J. Playle, 2 Heronway, Woodford Green, Essex.)

Unattached readers who wish to meet members of the opposite sex, view matrimony, should note the happy spirit prevailing in Potters Bar C.S. Two pairs of new members have just become engaged. Our congratulations to them, and condolences to the treasurer who has been out of commission for repairs and maintenance, as the *Newsletter* graphically put it. Membership continues to increase, but clearly growing size does not inhibit the personal touch. Rising numbers have indeed compelled the club to seek new premises for its annual dinner on April 15th. (K. Stephens, 25 Oulton Crescent, Potters Bar, Middx.)




attain your aim with...



Mazda

PHOTOGRAPHIC LAMPS



MELTON ROAD, LEICESTER

A programme of 8mm. Star Award films from Ten Best competitions was recently presented by Edinburg C.S., who followed it a few weeks later with 9.5mm. Star Awards. But, they say, this "may well be our last year of screening 9.5mm. as a programme feature", for it is becoming increasingly difficult to find films. A particularly welcome provider of an evening's entertainment and instruction was W. Dobson, who has helped put Edinburg on the cine map with some most engaging comedies, among them the Oscar winner, *Trio in Trouble*. An intriguing situation has been resolved in the current issue of the club magazine, *Cine Chat*. The author of a series of articles on the various gauges explains why he does not use film at all. He is a television cameraman. (W. S. Christie, 11 Hillpark Road, Edinburg, 4.)

To illustrate his talk on film production to Bournemouth & New Forest C.C., professional director D. Shaw Ashton showed a number of his own intriguing films, among them his presentation of the sculpture of Barbara Hepworth and a film on the planning of Coventry Cathedral. (R. L. Harlock, 14 Duncilly Road, Southbourne, Bournemouth.)

A short practical course on 8mm. cinematography, under the auspices of the Manchester Education Committee is to begin almost immediately. Beginners and near beginners (for whom it is designed) living in or near South Manchester, can get details from H. O. Heather, B.Sc., 60 Heathside Road, Manchester, 20.

Canon Zoom 8—Continued

When the light had degenerated to this value, were excellent. A usable shot of a television screen at full brightness was obtained on daylight Kodachrome at f/1.4 and 12 f.p.s.

The split-field focusing system agreed with the focusing scale on the lens and yielded accurate focus. It also worked well with supplementary lenses; using a 3in. lens secured in front of the camera lens we were able to film a postage stamp filling the screen, and then zoom in to show the Queen's head only.

For titling we used the lens set at 6ft. focus and 40mm. focal length, with an 8 x 6in. title card. The distance is measured from subject to film plane, but of course this does not normally matter with a reflex camera. The only trouble we found was that the reflex finder was set to favour the top of the picture: in spite of careful centring in our set-ups we estimate that about 8% more of the subject height was taken in than showed in the finder. This error, no doubt deliberate, is one of those controversial design points: should the careless user be protected, by a slight finder allowance from cutting off his subject's heads? In practice, of course, one will remember to allow for the built-in allowance after one trial reel, after which the reflex principle can be fully exploited—saving the need for a titler, permitting huge close-ups, and above all preventing errors.

We found the Canon Reflex Zoom 8 an admirable camera, and can confidently recommend it.

Price (including P.T.): £94 16s. 4d. with wrist strap. Extras: pistol grip £3 10s. 3d.; leather case £6 6s. 0d. Other accessories available as extras are cable release, close-up lens and filters. Submitted by J. J. Silber Ltd., 40 Lamb's Conduit St., London, W.C.1.

QUERY CORNER for readers' wants

Reader living in tropical region willing to run off a test roll of 16mm. or 8mm. Kodachrome, stock and filters supplied.—R. G. Ryman, c/o Federal Electric Corporation, Montreal Airport, Quebec, Canada. Mr. Ryman will be making a 16mm. documentary in colour in the jungles of British Guiana next year, and since much of the material will be shot in the shade of trees, he expects to have to use light balancing filters to obviate an overall green colour cast. He is thinking of one of the paler magenta printing filters used in the Ektacolour process, e.g., the CCO5M, or one of the salinon-coloured Wratten 81 filters, but has no opportunity of carrying out experiments in conditions similar to those he is likely to meet. 8mm. colour or monochrome shots of spectators at Rome Olympics.—B. H. Lee,

Roseleigh East, Thirlestaine Road, Cheltenham, Glos.

Instruction books for Nizo M 9.5mm. camera and G.B. 601 projector.—L. G. A. Turrell, 39 Wesley Street, Waterloo, Liverpool, 22. Pre-1959 issues of *ACW*.—S. E. Hand, 124 Victoria Street, Glossop, Derbys. (Mr. Hand promptly responded to the appeal made on behalf of many readers for copies of the issue containing the article, "I Made a Perforating Machine", so we hope he'll be lucky!)

Offered

Two H and three P 9.5mm. chargers, for cost of postage.—R. G. Hopkins, 25 Marlton Avenue, Paignton, Devon.

Four P chargers in exchange for spare 9.5mm. Lido spools.—A. P. Gledhill, St. Lawrence Avenue, Tunbridge Wells, Kent.

8mm. Viewpoint—Continued

nothing to commend it, he said, except that it was correctly exposed and that a tripod had been used.

He was too modest, of course, but one omission certainly did rile me. In introducing it, he told us about the 18th century Hellfire Club which met in the caves, but when these caves duly appeared in the film, the commentator said not a word about the Club! "Why not?" I asked. "You can buy a good book on it," he said. Yet here was a human interest angle if ever there was one. . . .

Earlier, we had seen Oscar Riesel's film on Rome, well photographed but (despite the very hot weather which, he explained, had convinced him it was absurd ever to film there in August) rather cold and detached, compared with his Ten Best winner on Vienna which obviously meant much more to him personally.

Then Marie Partridge introduced her latest nature film, *Spring Rhapsody*. We had been hearing about Vanishing Britain entries that had been shot in a few hours. Her film, she said, had taken her 2½ years. It opens with some lovely shots of a squirrel yawning. Then we see owls, goats, lambs and a fox. Nothing much happens, but it was all finely photographed against a background of natural sounds (some of them not quite so natural. Mrs. Partridge had had to impersonate a lamb herself, and was not really very good at it).

Her request for comments brought a crop of them. "It needs a rather stronger theme," suggested Richard Golding. "Why not build up the encounter with the fox?" "Yes, and you could concentrate more on the squirrel," said someone else. "It's a fraction too long," suggested Stuart Wynn Jones tactfully. But,

like everyone else who spoke, he obviously liked the film, and the criticisms made were just the sort most likely to help the producer.

"Were there too many close shots?" she wondered. She had deliberately excluded long shots because animals' vision is limited, and she wanted to enter into their world. And there was no commentator because she wished to exclude the human element. "Should there be one?" she asked. "No!" cried a chorus of critics. It was all very friendly, very helpful and very much more encouraging than the Top Eight. . . . I'm sorry, but there it is.

Converting the G.45—Continued

from the necessity for the apertures to be carefully centred, there is the expense of buying the range of drills required. For the benefit of those interested, we reprint G. H. Sewell's table from *ACW* of September, 1949:—

APERTURE f/-	DIA. OF HOLE (in.)	DRILL
5.6	0.358	T
8	0.25	1/16 in.
11	0.182	No. 14
16	0.125	1/8 in.
22	0.091	No. 43
32	0.0625	1/16 in.

The second type of lens housing may be just as readily adapted as the first, but some means should be found to hold the lens and/or filters in position. A suitably drilled wooden washer has been used quite effectively for this.

By now the camera is ready for use, indoors or out, when power is applied.

In the next part, we shall suggest several alternative sources of power, static and portable; and give details of our control panel for studio use. Reference will also be made to the conversion of the long-barrelled type of lens to telephoto use.

RECOMMENDED BOOKS FOR MOVIEMAKERS

CHOOSING AND USING A CINE CAMERA

Edwyn Gilmour

Contents: Films; Basic Camera; Lenses; Viewfinders; Mechanical Features; Exposure; Using and Caring for the Camera; Glossary. 124 pages. Line Illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 8s. 6d. (Postage 8d.)

CHOOSING AND USING A CINE PROJECTOR

Edwyn Gilmour

Contents: Silent Projector; Illumination; Lenses; Multi-Gauge; Sound Projector; Magnetic Sound; Synchronising; Screens; Films and their Care; Home Shows; Servicing; Fault-finding. 128 pages. Line Illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 8s. 6d. (Postage 8d.)

CINE DATA BOOK

R. H. Bomback

Contents: Lens Data; Film Footage Tables; High Speed; Laboratory Work; Filters; Lighting; Colour; Exposure; Stereo; Recording; Formulae; Duplicating; Projectors. 296 pages. Line and half-tone illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 25s. (Postage 1s. 6d.)

CINE TITLING

John Daborn

Contents: Function of Titles; Design; Titles or Rostrum; Setting Up; Standardisation; Variety; Snags and Hints; Glossary. 112 pages. Line and half-tone Illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 8s. 6d. (Postage 8d.)

DICTIONARY OF CINEMATOGRAPHY AND SOUND RECORDING

Wallace S. Sharps

Contents: Using the Camera; Colour; General Data; Camera Eye; Sound; Lighting; Processing and Editing; Leaders and Splicing; Projection; Dictionary. 140 pages. Line Illus. $7\frac{1}{2} \times 5\frac{1}{2}$ in. 15s. 6d. (Postage 1s.)

EXPOSING CINE FILM

Brian Gibson

Contents: Exposure and How it is Made; Lens; Films; Meters; Artificial Light; Daylight; Glossary. 128 pages. Line Illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 8s. 6d. (Postage 8d.)

FILMING IN COLOUR

Derek Townsend

Contents: Film; Temperature; Filters; Exposure; Problems of Colour Appreciation; Lens; Artificial Light; Holiday Filming; Equipment; Editing; Projecting; Glossary. 128 pages. Line Illus. $6\frac{1}{2} \times 4\frac{1}{2}$ in. 8s. 6d. (Postage 8d.)



CINE HINTS, TIPS AND GADGETS

Denys Davis

Contents: Operating Hints; Lighting Notes; Darkroom Work; Editing Aids; Titling Ideas; Projection Tips; Sound Advice. 100 pages. Line Illus. $7\frac{1}{2} \times 5\frac{1}{2}$ in. 9s. 6d. (Postage 9d.)

MOVIE MAKING FOR EVERYONE

R. H. Alder

Contents: Cine-Camera and accessories; Film and Filters; Exposure and Lighting; Script and Continuity; Camera Manipulation; Artificial and Daylight technique; Trick Effects; Editing; Titling; Projection; Programme Routine; Glossary. 144 pages. Line Illus. $7\frac{1}{2} \times 5\frac{1}{2}$ in. 10s. 6d. (Postage 10d.)



G.B.-BELL & HOWELL 8mm. CINE MANUAL

H. A. V. Bulleid

Contents: 8mm. Filming Technique; Apparatus; Model 624; Sportster and Viceroy Camera; Showing 8mm.; Model 625 and Screenmaster projector; Accessories; Tape Recorders; Servicing; Better Filmcraft; Data Section; Glossary. 258 pages. Half-tone Illus. $7\frac{1}{2} \times 5\frac{1}{2}$ in. 32s. 6d. (Postage 1s. 6d.)

INTRODUCTION TO CINE

H. A. Postlethwaite

Contents: Which Gauge?; How the Camera Works; Choosing and Care of Camera; Exposure; Focusing; Filters; Colour; Lighting; Titles; Editing; Projecting; Sound; Practical Hints. 152 pages. Half-tone and Line Illus. $7\frac{1}{2} \times 5\frac{1}{2}$ in. 13s. 6d. (Postage 10d.)

MAKING 8mm. MOVIES

Philip Grosset

Contents: Why use 8mm.?; Projector; The Camera; Film Stock; Camera Controls; Screening; Editing; Titling; Planning; Directing; Showing; Colour; Indoor filming. 232 pages. Half-tone Illus. $8\frac{1}{2} \times 5\frac{1}{2}$ in. 35s. (Postage 2s.)

SPECIAL EFFECTS IN CINEMATOGRAPHY

H. A. V. Bulleid

Contents: Animation; Superimposition; Split Screen; Optical Effects; Titles; Stills and Models; Mirrors, Modification after Processing; Sound; Props. 264 pages. Line and Half-tone Illus. 22s. 6d. (Postage 1s.)

CINEFACTS SERIES 2s. 6d. each (Postage 3d.)

Home Movie Shows	Animated Cartoon
Making a Story Film	Adding Sound to Movies
Cine Stereo for Amateurs	Filming in Colour
Tricks with Movies	Perfecting the Film
Processing Amateur Movies	

From your bookseller, photo-dealer or in case of difficulty direct from the publishers


FOUNTAIN PRESS

46-47 CHANCERY LANE, LONDON, WC2

THE LEADING PUBLISHERS OF PHOTOGRAPHIC BOOKS AND MAGAZINES



Expert
Moviemaking
...easy as
taking a
snap!



World's most highly
perfected electric eye system
does all the calculating
and setting for you!



Bell & Howell
AUTOSET II

8 mm. Cine Camera

Price: complete with English Hide ever-ready case,
£41.16.0d or on extended payments.

AUTOSET II

8 mm ELECTRIC EYE CINE CAMERA

Action movies are easier to take, more fun to compose, because all the technical skill is built in!

The Bell & Howell AUTOSET II is one of the most popular 8 mm. cine cameras of all time . . . and not without good reason. *The AUTOSET II makes brilliant action movies effortlessly—because all the technical skill is built into the camera.*

Just load your film, press the button and follow the action. While *you* concentrate on the subject, the *electric eye* does all the work. It measures the smallest change in light and automatically adjusts the lens aperture—even while you are filming. There's nothing to focus and no complicated settings to spoil the fun—with the brilliant AUTOSET II.

FINE PRECISION INSTRUMENTS BACKED BY WORLD-WIDE AFTER-SALES SERVICE

Handle a Bell & Howell camera. There's a *feel* about it. An unmistakable feel of precise, quality engineering. Soon, you'll appreciate the other things: the consistently perfect performance . . . the brilliantly conceived features . . . and the satisfaction of knowing that you've received real value for your money.

Every Bell & Howell product is fully guaranteed for 12 months and a world-wide network of accredited dealers provides you with factory-approved service wherever your travels take you.

BELL & HOWELL

THE QUALITY NAME IN CINE EQUIPMENT



RANK PRECISION INDUSTRIES LIMITED

Cine & Photographic Division, Mitcheldean, Glos.

LOAD YOUR FILM

the swift, error-proof threading indicates straight away that this is an advanced-design camera. From this moment on, the 'electric eye' takes over — measuring the light and adjusting the aperture for you (or you can use the 'manual control' for special effects). You wind your AUTOSET II, then . . .

PRESS THE BUTTON

half way down for normal runs, up for single-frame shots and all the way down for continuous runs (so that you can join the picture). You sight your subject in the big, picture-frame viewfinder and the fast f/1.9 lens is ready to . . .

FOLLOW THE ACTION

as accurately and as faithfully as the human eye. This brilliantly designed camera records the world around you with amazing precision . . . all the grace, the excitement, the poetry, the suspense of *people in motion!* AUTOSET II gives you the freedom and confidence to make the most of your creative ideas.



Bell & Howell MOVIEMASTER

8 mm.
cine projector

... for brilliantly crisp pictures! Amazing Filmovara lens zooms your picture to fit the screen—perfectly!
Price: £36. 0. 0d.

Your Accredited Bell & Howell dealer will be proud to tell you more.

AMATEUR CINE WORLD

BARGAINS

PRESS DATE FOR ADVERTISEMENTS IN THE
ISSUE DATED MAY 4th—FIRST POST ON
MONDAY APRIL 18th

SALANSON Co. Ltd. BEST IN THE WEST

USED 8mm. CAMERAS

AUTOCSET and Case, f/1.9	£29 10 0
SPORTSTER Duo, f/1.9 Focusing and Case	£33 10 0
KODAK 8/55, f/2.7, and Case	£15 15 0
EUMIG Electric and Tele Lens and Case	£32 10 0
AUTOCSET, Tele and W.A. Lens and Case	£34 10 0
EUMIG C3, f/1.9 and Case	£34 10 0
A.K.8 with Abephot Exposure Meter	£24 10 0
BROWNIE MOVIE, f/2.7, and Case	£12 15 0

USED 16mm. CAMERAS

Special Offer—Bolex H.16 M with Pan Cinor "85" Zoom Lens—Mint Condition	£185 0 0
As New—BELL & HOWELL 70DR, f/1.9, Case and Films	£115 0 0

83-85 FAIRFAX ST., BRISTOL, 1

Telephone 26185/6

ALSO

119 QUEEN STREET, CARDIFF

Telephone 26030

CINE REPAIRS CAMERAS and PROJECTORS Officially Appointed Bell-Howell Servicing Agents BOWENS

CAMERA REPAIR SERVICE LTD.

2 ALBEMARLE WAY, ST. JOHN'S SQ.,
CLERKENWELL, LONDON, E.C.1
Est. 30 years. CLERKENWELL 3295 7945
Send for showcards, S.A. labels and price guide

W. H. COX
28 WELLINGTON STREET
LUTON
PHONE 151
STOCKIST OF ALL CINE EQUIPMENT
BELL-HOWELL
FILMSOUND Models 636 & 640

FILMS & FILM LIBRARIES

MURRAY'S OF GLASGOW, Scotland's largest Cine Dealers—sell 8 and 16mm. films. Hire Service for 8 and 16mm. projectors. Authorised Booking Agents for all 16mm. Sound Film Libraries. Own 8mm. Library (for Scottish hirers only). (T/C 2)

CONTINENTAL FILMS, The latest exciting 8mm. films from France. Call or send 6d. in stamps for illustrated leaflet. Cinevue Pocket Viewer, 37/6. Capitol Films (Dept. A.C.W.), 193 Wardour Street, London, W.1. GER 8196 (T/C).

FILMS FOR THE COLLECTOR, Send 2/- for fully illustrated catalogue to—Paradise Films (Dept. A.C.W.), 73 Caledonian Road, Kings Cross, London, N.1.

BIRMINGHAM'S CITY CENTRE 8mm. Cine Film Library. Hundreds of titles; Agents for all leading companies. Chaplins, L/Hardy's, Westerns, Disney Cartoons, Travelogues, Interest, etc. Note: Personal callers only. Horton's Ltd., 32 Stephenson Street, Birmingham, 2 (facing back old Theatre Royal, now Woolworth site). MIDLAND 0972.

8mm. B/W FILM in 27sch and 29sch at 7/- per 25ft. (exclusive of processing). 9.5mm. B/W film in 27sch 4/6 per 25ft. or Super Quality 29sch and 37sch at 5/6 per 25ft. (not in charger and exclusive of processing). 9.5mm. Pathoscope Films (Cartoons) in 200ft. lengths, new—sealed carton 19/6 each (limited supply). 16mm. film 12 x 25ft. lengths—12/6 per sealed tin. 16mm. film 29sch—50ft. length 8/- each. Please add extra for postage on all above items. Direct Photographic Supply Co., 2 Harrow Road, (Corner) Edgware Road, London, W.2.

8mm. FILM HIRE LIBRARY, variety from cartoons to all interests. Stamp for catalogue, details and membership form from Sweetman Hedgeland Ltd., Broadway, Maidstone, Kent.

8mm. FILMS, exchanged, bought, sold, at the right prices. J.C.R., 63 Pelham Road, S.W.19.

8mm. FILMS, Comprehensive list mailed 3d. Cine-Optics, 19 College Road, Harrow, Middlesex.

HOME MOVIE FILMS, Subjects to suit all ages. State requirements. Diamond Film Productions, 235a High Street, Slough.

GOLDEN FILMS LTD.

Offer wonderful selection of over 300 titles of 16mm. sound film for hire. Special reduced rates. Send 2/6d. NOW (Refunded on 1st booking) for new, Illustrated Catalogue and Introductory Offer.
60-66 WARDOUR STREET, LONDON, W.1.
(GERard 5121)

8mm. 50ft. B/W FILMS AT THE RIDICULOUS PRICE of 10/- each or 5 for £2.0.0. 16mm. Film 50ft. B/W £1.0.0. each or 5 for £4.10.0. 35mm. Colour Transparencies set of 8 slides 3/6d. or 5 sets for 30/-d. or 20 sets for £6.10.0. Send for lists, Ilford Music & Photographic, Pioneer Market, Ilford Lane, Ilford. 2712.

16mm. SOUND FILMS BOUGHT AND SOLD. Complete libraries purchased. Enclose S.A.E., Robinsons Cine Service, Purdis Croft, Bucklesham Road, Ipswich. Telephone 78665.

16mm. SOUND FILM HIRE, cartoons and shorts, catalogue free. Pardoe, 5 Taylors Lane, Oldbury, Birmingham.

FILMS, 16mm., 8mm. ALL INTERESTS, 1/6d., catalogue. Enterprise Film Distributors, 41/43 Wardour Street, London, W.1.

CAMERAS & LENSES

MURRAY'S OF GLASGOW, Scotland's largest Cine Dealers, can supply any new camera or projector Hire Purchase Terms, for your convenience. Second-hand bargains always in stock. Tell us what you are looking for, we may have the very thing available at a great saving. (T/C 2).

BOLEX H8, mint condition, three lenses, case, eye level focus, pistol grip, seven filters and cable release £100.
Box 216

● **RATES** 6d. per word, (minimum charge 8/-) payable to Amateur Cine World, 46 47 Chancery Lane, London W.C.2.

● **BOX NUMBERS** available to all advertisers. Cost 2/- extra per advertisement.

● **THE PUBLISHERS** retain the right to refuse or withdraw advertisements at their discretion, and do not accept liability for delay in publication, or for clerical or printers' errors.

G.45 16 mm. GUN CAMERAS
Magazine loading, 16 f.p.s. 21n. f/3.5 lens (fixed focus), 24 volt. Complete with magazine.

OUR PRICE NEW 45/-
(Post 3/-)

Spare New Magazines 6/-.

G.45 16mm. Hand Operated, magazine loading
TITLING UNITS. NEW 45/-.

LATEST MARK 3 RECORDER

Coated f/1.9 lens, variable iris, 2 and 16 frames per sec. 3-speed shutter. Takes 16mm. film in magazines. Complete with magazine, BRAND NEW.

OUR PRICE £4/10/0

Spare magazines 10/- each.

NEW PROJECTOR LAMPS GREATLY REDUCED

500 w., 110 volt, for LS16 3 for 25/-
Post 2/6

750w. 100v., for Debris	12 6
750w. 115v., Pre-focus	15 0
750w. 110v., for Bell-Howell	£1 10 0
1,000w., 110v., Bell-Howell	£1 5 0
300w., 110v., Pre-focus	12 6
200w., 110v., Pre-focus	12 6
100w., 30v., for Specto	10 0

Postage 1/6 extra.

G.B. LS16 PROJECTORS

Sound-Silent, 500 watt 230v. A.C./D.C., 1,600ft. arms. 12in. speaker

OUR PRICE £55

POSTAGE EXTRA ON ALL ORDERS

A. W. YOUNG

159 Chatsworth Rd., London, E.5

Telephone: AMHerst 6521

Fotokiné

FOR
ALL
CINE
AND
PHOTO
EQUIPMENT

READING & OXFORD

357 OXFORD ROAD
READING
Tel.: Reading 54746

100 ST. ALDATES
OXFORD
Tel.: Oxford 43731

VICTOR MORRIS OF GLASGOW

No deposit—38 weeks to pay—5% charge

CALL TODAY—YOURS TOMORROW

CINE or STILL

343 ARGYLE STREET, GLASGOW, C.2

CENtral 8958



REFLECTORS RESILVERED

OF GLASS FOR
PROJECTORS ETC.

Resilvered, including
heat-resisting finish,
returned in two to
three days

Gowllands Ltd.

Morland Road, Croydon, Surrey
Manufacturers for the trade

SCREEN FABRICS

A complete range of all SCREEN
SURFACES including "PERLUX"
CRYSTAL BEAD, "TRU-WHITE" POLAR
SILVER, E.g. 4 ft. x 4 ft. White 22/- Crystal
Bead 64/- Also Spring Rollers. Material and
Screens List on Request.

REALM FILM SCREENS LTD.

72 Stroud Green Road, London, N.4 Tel. ARChway 8010

for ALL your CINE supplies

KIRK'S CAMERA CORNER

The largest stock in S.E. London

256/8 KIRKDALE, SYDENHAM, S.E.26

Telephone: SYDenham 5416

COMEDIES
CARTOONS
NODDY
THRILLS
ADVENTURE
TRAVEL
CIRCUS
WESTERNS
PAGEANTRY
etc.



Buy WALTON MOVIE FILMS
to show at home.

16mm - 9.5mm - 8mm
For full details of hundreds of
wonderful films, please send 4d
S.A.E. for the Walton Home
Movie Catalogue. WALTON
FILMS are obtainable from your
dealer or from:-

WALTON FILMS, 282 Kensington High Street,
London, W.14. Western 6448/4

—Trade and Export Enquiries always welcome—

Creamer

Phone:
LIB 3745

52, HARTFIELD ROAD

WHIBLEDON'S
Main Cine Dealer

CAMERAS & LENSES

BOLEX H16mm. CINE, triple turret, Schneider
16mm. x 1.9f. 25mm. x 1.5f. 75mm. x 3.8f. Yvar
150mm. x 4f. filters, leather case. £160 o.n.o. 66 North
Street, Emsworth, Hants. Telephone 2653.

BELL AND HOWELL 8mm. 624B f/1.9. Hide case.
Set 3 filters. Telephoto lens. Tilt. Nearly £40 new.
—£28. Box 222

SEND FOR LISTS of secondhand cine cameras,
projectors and accessories. Hayhurst's, Camera
Shop, 56 Manchester Road, Nelson, Lancs.

BOLEX BBL, 1.9 focusing Yvar, 2.5 wide angle
Dallmeyer pistol grip, leather case. Mint. Offers
around £60. Box 224

FABULOUS NEW REFLEX BEAULIEU R16 cine
camera fitted with 25mm. standard, 10mm. wide
angle, and 75mm. telephoto f/1.4 Angenieux lenses
All boxed. Fitted hide case. Trix exposure meter.
M.P.P. worm drive pan head tripod. Outfit only used
200ft. of colour. Cost over £350. Accept £240.
Reason for sale, new business taking all my time.
Phone: Cheetham 2690 (daytime). Poynton 2702
(after 8 p.m.). Manchester.

BOLEX H8 Camera; 12.5mm. f/1.5 Switar; 5.5mm.
f/1.8 Switar; 36mm. f/1.8 Yvar; Eye level focuser;
Totally closing iris; filters, etc. MAOC Hide case.
Mint condition. Cost nearly £250. Accept nearest
offer to £140. Thomas, 15 Kennard Road, New
Milton, Hants. N.M. 1367.

£65. BOLEX H.16. New f/1.5 Pizar 25mm. Turret
Handle. Major Case, Instruction books. Massey, 29
Caernarvon Road, Keynsham, Bristol.

BELL & HOWELL 605A with interchangeable D
mount T.H. f/1.7 Taylall critically sharp lens. Very
good condition, case, films. £22. Mr. Anthony,
11 Berkeley Street, W.1. MAY 8808.

NEW PAN-CINOR Zoom lens. 10-30mm. f/2.5
8mm. D mount. Bargain £48. Stephens, Amaryllis
Hotel, Sands Road, Paignton, Devon. Phone 59552.

BOLEX C851. 1.9 focusing Yvar used only occa-
sionally. Indistinguishable from new £30. May,
19 Greenwood Road, Stapenhill, Burton-on-Trent.

JAPANESE KONICA 8mm. CINE. Telephoto, wide
angle lenses all zoom, focus down to 20 c.m. Electrically
driven, remote control. Case. Only six months
old. Customised. Wonderful bargain £100. Apply:
Walters, 23/25 Abbey House, Victoria Street,
London, S.W.1. ABBey 6957.

B. & H. VICEROY, 8mm. 3 Taylor Hobson lenses
and case. Mint condition, £37.10.0d. Apply: Green
Hedges, Forest Road, Tunbridge Wells, Kent.
Tunbridge Wells 875.

Bolex H. 16, 16mm. camera. Dallmeyer 2" f/1.9 and
1" f/1.9. Excellent condition £75. Pistol hand-grip
£4. Thalhammer Tripod £15. Dalite U.S. tripod
Screen £3. Bargain from private owner who has
replaced with newer equipment. Box No. 986.

PROJECTORS

MURRAY'S OF GLASGOW, Scotland's largest
Cine Dealers, maintain a record stock of cine pro-
jectors. Magnetic sound on 16mm. (Bell & Howell,
Bolex and RCA) or 8mm. (Cine Sound). Demon-
strations by appointment. (T/C 2)

8mm. PROJECTOR £26.5.0. 8mm. camera £13; all
unused. Fuller, 33 Winchester Road, E.4. LAR 6216

KEYSTONE 110 COMBINED PROJECTOR,
editor, and tape splicer. Magnificent machine in
perfect order. Complete with transformer, acces-
sories and spares. £75 o.n.o. Box 225

BELL & HOWELL, 16mm. pre-war sound given
free with L.516. £45 complete. Buyer collects.
Butcher, 21 Oxford Road, Norwich.

CIRSE SOUND 8mm. PROJECTOR (dem. model)
£125. Pathe Prince f/2.8 lens £13.10.0. Zeiss 8mm.
Movinette f/2.8 Triotar £19.0.0. BH 8mm. Cine
projector lens £2. Princess 9.5mm. cine projector
£14. Eumakro WA attach. for Eumig £9. Eumakron
tele attach. for Eumig £11. HMV tape recorder (s.
soiled) £40. Eumig C3R camera £50. Bolex BSL
f/1.8 Yvar foc. met (s. soiled) £69. Lomax Limited,
8 St. Ann's Square, Manchester 2.

ARC PROJECTOR 16mm. G.B. Bell-Howell
complete £350. William Bryce, 16 Lochrin Buildings,
Edinburgh. Tel: Fountainbridge 4891.

BELL & HOWELL 601 16mm. sound/silent pro-
jector £75 o.n.o. Phone: CHiswick 8928. Box 228
BTH 301, Needs slight attention. New amplifier. £27.
Phillips, 45 Blackwatch Road, Coventry.

EUMIG P8 IMPERIAL absolutely as new, spare
lamp £25. If you collect, May, 19 Greenwood Road,
Stapenhill, Burton-on-Trent.

9.5mm. SPECTO STANDARD (silent) projector,
with case. Excellent condition. Offers. I. Mathieson,
11 Birgildale Avenue, Glasgow, S5.

CAMPKINS of CAMBRIDGE

Weekly list of Second-hand
Cine Apparatus

Bolex B8 2.5 Twin Turret	...	£39 18 6
Bolex B8 1.9	...	£45 0 0
Bolex B8 Twin Turret 2.5	...	£45 0 0
Reverse Triple Turret Mag loading	...	£59 18 6
8mm. with all 3 lenses	...	£85 0 0
Bolex D8L (Triple T) 1.8 focus	...	£29 18 6
Eumig Servomatic 1.8 EE	...	£16 10 0
B & H 624 8mm. case	...	£29 18 6
Autoset EE 1.9, 8mm. ERC	...	£32 10 0
Autoset EY 1.9, 8mm. ERC	...	£47 10 0
Autoset Triple Turret EE, case	...	£32 10 0
Switar 1.5 124mm. for 8mm.	...	£45 0 0
Switar 1.4, 25mm. for 16mm.	...	£17 10 0
Yvar 36mm. f/2.8 in case for 8mm.	...	£1 7 4
Wratten 1A, Cine filter 20.6mm. for	...	£1 7 4
Bolex Hood and Filter Set	...	£1 5 0
Wratten ditto 85 (A to D)	...	£1 10 0
Bolex hood and filter holder for 8mm.	...	£8 15 0
Bolex 5.5 V/F Adaptor	...	£4 18 6
Dallmeyer 1 1/2" 2.9 Spigot Bell & Howell	...	£7 10 0
fitting	...	£12 10 0
Pistol grip for C8/B8	...	
Pathe 8.5 H f/2.5	...	
Pathe 9.5 Prince, f/2.8	...	

CAMPKINS CAMERAS

Dept. A.C.W., 15, King's Parade,
CAMBRIDGE Tel. 51791

VEBO Coated CLOSE-UP LENSES

REVIEWED IN A.C.W. No.3 : FEB. 9th 1961
The Critics say most films lack close-ups,
yet 8mm. is best at close distances!
WITH FIXED-FOCUS CAMERAS THE NEAREST
DISTANCE FOR REASONABLE SHARPNESS IS
ONLY 8FT. AT F/2.8

Fit a VEBO Coated Lens at 18s. 6d. for
NEEDLE SHARP Pictures at ALL Distances
S.A.E. to: THE BOWEN & VERNY CO.
147, Compton Rd., Wolverhampton

YOU CAN BUY

practically everything
advertised new in this issue

"ON THE BEST OF TERMS"

(mostly from stock)

at CYRIL HOWE'S

BY THE ABBEY AT

BATH

Phone: 61234

ACW CORRESPONDENCE
COUPON

Available to April 20th. 1961.

RECORDERS & RECORDINGS

MURRAY'S OF GLASGOW, Scotland's largest Cine Dealers, specialise in magnetic sound on tape, film or wire. Grandis, Philips, Ferrograph, Fi-Cord and Minifon. Fully equipped electronic service department. (T/C 2)

ACCESSORIES

MURRAY'S OF GLASGOW, Scotland's largest Cine Dealers, can supply by return every important cine accessory. (T/C 2)

EX ADMIRALTY roller and batten film screens. White, 4ft x 4ft, 38/6; 6ft x 4ft 6in, 65/-; 6ft x 6ft, 85/-; 6ft x 4ft, "Polar" silver model, 55/-. Also many other screens new and secondhand for home or hall. Realm Films Ltd., 92 Stroud Green Road, London, N.4. (5A)

25,000 watt MOL-RICHARDSON lighting available reasonable rental. Forest Hill 7575.

BOLEX SUPER TITLER nine months old. Mint condition. Cost £73. Accept £50 o.n.o. Box 226

8mm. ANIMATED VIEWERS. (Toys) Suitable adaptation, many uses, 4/6 each. H. Howell, BCM/EHH, London, W.C.1.

Complete Outfits

BOLEX M8R PROJECTOR carrier case reels 4ft. beaded screen. MFF pan and tilt tripod, Weston meter III Bruin effects Box, Siemens splicer, all as new. Bolex B8 Turret. Yvar lenses 1.9 foc. 2-8 tele 7 speeds. Pistol grip, carrier, immaculate. £100 the lot. Mr. Harrigan. GER 2036.

PATHE 9.5mm. camera f/3.5 lens portrait attachment, four chargers. Gem projector two lens carrying case, spare spools. Nine films. Complete outfit £40. Wanted: 16mm. camera spool loading f/1.9 focusing lens. Parsons, 12a Kings Road, Swanage. Telephone: Swanage 2016.

AND ALL
KINDS
OF
INSURANCE

ANOTHER HOUSE
SOLD BY
B. R. DALE
HOVE 30547

122, PORTLAND ROAD, HOVE SX

PROCESSING

PERSONAL PROCESSING SERVICE for your B/W cine films. S.A.E. full details—38 High Street, Seaford, Sussex.

8/9-5/16mm. **FILM PROCESSING.** Details S.A.E. H. Howell, BCM/EHH, London, W.C.1.

MISCELLANEOUS

MURRAY'S OF GLASGOW, Scotland's largest Cine Dealers, maintain their own mobile projection unit. Fully equipped demonstration theatre available. (T/C 2)

DUPLICATING, SHORTHAND, typing (MSS/Tapes), Translating, Mabel Eyles, 10 Beaconsfield Road, London, N.11. ENT 3324 (T/C).

FRIENDLY FOLK ASSOCIATION, Torquay (Est. 1943). Members, 100 countries. Hobbies, stamps, photography, pen friends, tapesponding. Details free.

GIVEN FREE TO FIRST APPLICANT, twin turntable, price, cost of advert, 8/-. Box 233.

CAMERA AND ACCESSORIES INSURANCE provide against loss or damage. Prospectus forwarded. E. Vickers, Broker, 36 Maiden Lane, Liverpool, 13.

BOOKS & MAGAZINES

"**BUILD YOUR OWN PROJECTOR**" (12/6). "Adapting 200B to Sound" (3/-). "Converting Kodascope 'C'" (3/6). Special offer, all three for 15/-! Cineluxe, 1725 London Road, Leigh-on-Sea, Essex.

BOOKS RECOMMENDED BY ACW
CHOOSING AND USING A CINE CAMERA by Edwyn Gilmour. A guide to choosing a camera from the bewildering array on the market. Each mechanical feature is described and its function explained. Also covers hire purchase and guarantees, accessory lenses, exposure meter systems, tripods, care of the camera and a glossary of terms. Line illustrations. 124 pp. 6½ x 4½ in., price 8/6.

CHOOSING AND USING A CINE PROJECTOR. by Edwyn Gilmour, explains the function of each part of the projector, thus helping in the selection of a model most suited to individual requirements. Describes the models available, their care and maintenance as well as the actual screening of films. Line illustrations. 128 pp. 6½ x 4½ in., price 8/6.

WANTED**MURRAY'S OF GLASGOW**

Scotland's largest Cine Dealers will purchase for cash or part exchange your present equipment. Terms available. Write, call or phone for better service and guaranteed satisfaction.

C. MURRAY LTD.**THE CAMERA CENTRE**

146a QUEEN STREET, GLASGOW, C.1.

Telephone: CENTRAL 4887.

SCOTLAND'S LARGEST CINE DEALER

URGENTLY REQUIRED for cash: Bell & Howell 16mm. projector, also shorts and features:—12 Wendover Court, London, N.W.2.

16mm. SOUND PROJECTOR, any make, good order. Also 16mm. Kodachrome, 16mm. colour sound films. Fennell, 147 Holdenhurst Road, Bournemouth.

WANTED: BOLEX G.3 projector. Optically and mechanically perfect. Must be on approval terms. J. Jackson, 67 Digbeth, Birmingham, 5.

L.516 SOUND/SILENT Projector wanted. Condition immaterial. Will pay cash or exchange £65 Swing needle sewing machine. Box 227

DANSON CIRCUIT DIAGRAM. Loan or purchase. Box 230

5cm. AND/OR 8cm. lens. Spigot mount. For 16mm. Agfa Movex. 92 Bramhall Lane, Davenport, Stockport.

WANTED: BY PRIVATE COLLECTOR. 8 and 16mm. silent films or would exchange for quantity electric lamp bulbs, all wattages. Box 229

3 YEARS TO PAY!
for all types of equipment
LET US QUOTE YOU
PAUL SIMMON, 35 NORTHGATE, HALIFAX. Tel: 2240

**Sell it quicker in the weekly A.C.W.
and sell it cheaper**

For only 6d. per word you can make known your personal or trade cine requirements

To: THE ADVERTISEMENT MANAGER

AMATEUR CINE WORLD

46-47 CHANCERY LANE, LONDON, W.C.2.

Please insert my advertisement in AMATEUR CINE WORLD for

.....insertions, commencing with issue dated.....

I would like it to appear under the.....heading.

I do/do not require a box number.

Remittance for.....s.....d. is enclosed.

NAME

ADDRESS

Advertisements for issue dated May 4th
must be received by first post on APRIL 18th

DATE

Published by the proprietors Fountain Press Ltd., 46-47 Chancery Lane, London, W.C.2. Telephone: Chancery 1411 (ten lines). Printed in England by Hunt, Barnard & Co., Ltd., at the Sign of the Dolphin, Aylesbury, Bucks. Agents for Australia and New Zealand: Gordon & Gotch Ltd. Agents for South Africa: Central News Agency Ltd. (London Agents: Gordon & Gotch Ltd.). Registered for transmission to Canada & Newfoundland by magazine post. The title, *Amateur Cine World*, is registered at Stationers' Hall, London.



so Silent...



so Smooth...



**"Cyldon"
SPOOLS**

The unique dynamic-balance design and precision manufacture of "Cyldon" spools ensure silent, smooth running. These satin-smooth aluminium spools are widely acclaimed for their exceptional efficiency and reliability.

For your "Cyldon" film and tape Spools you can buy "Cyldon" Cans—in either aluminium or tin plate.

Get "Cyldon" from your dealer now!

For enquiries and sales correspondence

SYDNEY S. BIRD & SONS LTD.,


3 PALACE MANSIONS, ENFIELD, MIDDLESEX

(Enfield 8571-3)

Wholesale Distributors:

Neville Brown & Co. Ltd. • Cinecraft Supplies Ltd. • Johnsons of Hendon • Kenmore (Merchants) Ltd.

An entirely new idea for Cine Users!




THE PATERSON CINE REEL AND BOOKFORM CONTAINER

Every photographer knows and appreciates the merits of Paterson products—and now Paterson ingenuity breaks into the cine field with a clever new spool and container.

NEW "INSTANT GRIP" CINE SPOOLS (PATENTS APPLIED FOR)

For 8 or 16mm. film in 200 and 400ft. sizes. The new "instant grip" feature at last solves the problem of rapid and easy attachment of film to spool. Each spool core has FOUR entry points, ensuring that one is always in sight of the operator. The film is instantly gripped and is released automatically when re-winding, without damage to the film. The spools are constructed of extra thick transparent plastic with metal centres for increased strength.



PRICES

Cine Spool
complete in
Book-Form
Container

200ft., 8 or 16mm. ... 7/3
400ft., 8 or 16mm. ... 9/6



BOOK FORM CONTAINERS

Entirely new containers in unbreakable metal. The new book-form design has a hinged lid which opens like a book. Handsomely finished in 3 colours with matt white title panel on back. Just like books in appearance they make a neat addition to any bookshelf (see left illustration). Ideal for amateur use or for film libraries. Paterson Cine Spools and Book-Form Containers can be bought together or as separate items—AT YOUR USUAL DEALERS



HUNTER

Made in England for Sole Distributors:

R. F. HUNTER LIMITED

Cellix House, 51-3 Gray's Inn Road, London, W.C.1
Holborn 7311/2,3

